



▶ 3500 W

▶ Be it for buffets, catering or food trucks
✓ Ideal for individual needs-based installation

▶ Separate control panel
✓ Regulation of output and temperature



▶ Diameter hob: 240 mm
▶ Pot recognition

Be it for buffets, catering or food trucks - regardless of where it is needed. This attractive high-performance induction cookers with its separate control panel is ideal for individual need-based installation.

- | | | | |
|-----------------------------------|---------------------------------|----------------------------|--|
| • Temperature range: | 60 °C to 240 °C | • Properties: | Separate control panel, cable length 0.8 m |
| • Number of temperature levels: | 10 | • Diameter hob(s): | 240 mm |
| • Intervals temperature setting: | 20 °C | • Colour: | Silver
Black |
| • Output hob(s) max.: | 3500 W | • Core temperature sensor: | No |
| • Power load: | 3,5 kW 230 V 50/60 Hz | • Size: | W 370 x D 390 x H 118 mm |
| • Equipment connection: | Pluggable | • Weight: | 6.5 kg |
| • Control unit: | Electronic
Toggle
Touch | | |
| • Number of hobs: | 1 | | |
| • Type of hobs: | Induction | | |
| • Control lamp: | ON/OFF
Output
Temperature | | |
| • Size cerane surface: | W 310 x D 330 mm | | |
| • Overheating protection: | Yes | | |
| • Digital display: | Yes | | |
| • ON/OFF switch: | Yes | | |
| • Can be installed: | Yes | | |
| • Pot recognition: | Yes | | |
| • Lock button (child protection): | No | | |
| • Number of output levels: | 10 | | |
| • Material hob: | Glass | | |
| • Regulation of: | Output
Temperature | | |
| • Material: | CNS 18/10 | | |
| • Important information: | - | | |

Frying pan 280A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 280 mm
- Diameter surface: 205 mm
- Pan height: 55 mm
- Material: Aluminium
Stainless steel
- Important information: -

Code-No. A150328
GTIN 4015613677965

Frying pan 300A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 300 mm
- Diameter surface: 230 mm
- Pan height: 55 mm
- Material: Aluminium
Stainless steel
- Important information: -

Code-No. A150330
GTIN 4015613677972

Cookware set T4P1



- Handle properties: Cold handle(s)
- Induction-suitable: Yes
- Material handle(s): Chrome-nickel steel
- With pouring rim: Yes
- Material: Chrome-nickel steel
- Important information: -
- Set comprises: 4 pots with a lid and 1 pan
Pot 1: contents 2 litres, Ø surface 16 cm, height 10 cm
Pot 2: contents 2.7 litres, Ø surface 18 cm, height 11 cm

Code-No. A130442
GTIN 4015613417158

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078
GTIN 4015613731926

Chafing dish 2/3 Flexible



- Depth GN container max.: 65 mm
- Content: 5,2 litre(s)
- Heating type: External, via level induction or glass ceramic installed hob
- Stackable: No
- Colour: Silver
- With handle(s): Yes
- GN-capable: Yes
- Functions: Keeping warm
- Properties: Heat control via external hob
Lift-up device for GN containers

Code-No. 500847
GTIN 4015613721118

Chafing dish 6.2L Flexible



- GN-capable: No
- Content: 6,2 litre(s)
- Heating type: External, via level induction or glass ceramic installed hob
- Stackable: No
- Colour: Silver
- Material handle(s): Stainless steel
Chrome-plated
- Functions: Keeping warm
- Material: Stainless steel
- Important information: An external hob is required to use the device

Code-No. 500846
GTIN 4015613721101