



▶ 3400 Watt

✓ 3 hobs for individual use



▶ 2 hobs left: total 2 kW

✓ Rear maximum: 1 kW

✓ The front hob can be used on its own: 2 kW

✓ When both hobs are used, the energy is selected depending on the setting

▶ 1 hob right

✓ 1.4 kW max.



Induction cooker with 3 hobs for individual use. Depending on the type of food preparation, 3400 Watt can be distributed over 3 or 2 hobs.

- | | | | |
|----------------------------------|-------------------------------|-----------------------------------|--------------------------------------|
| • Temperature range: | 60 °C to 240 °C | • ON/OFF switch: | Yes |
| • Time adjustment: | 1 to 180 minutes | • Colour: | Black
Silver |
| • Arrangement of the hobs: | 2 left, 1 right | • Can be installed: | No |
| • Intervals time setting: | 1 minute(s) | • Pot recognition: | Yes |
| • Output hob right max.: | 1400 W | • Lock button (child protection): | Yes |
| • Output all hobs left max.: | 2000 W | • Material hob: | Glass |
| • Output hob rear left max.: | 1000 W | • Regulation of: | Output
Temperature
Time |
| • Output hob front left max.: | 2000 W | • Material: | Plastic ABS |
| • Diameter hob right: | 207 mm | • Important information: | - |
| • Diameter hob front left: | 207 mm | • Number of output levels: | 10 right, 10 front left, 5 rear left |
| • Diameter hob rear left: | 106 mm | • Timer: | Yes |
| • Number of temperature levels: | 10 | • Properties: | Load-bearing capacity max.: 15 kg |
| • Intervals temperature setting: | 20 °C | • Core temperature sensor: | No |
| • Power load: | 3,4 kW 230 V 50/60 Hz | • Size: | W 510 x D 485 x H 65 mm |
| • Equipment connection: | Pluggable | • Weight: | 6.1 kg |
| • Control unit: | Touch | | |
| • Number of hobs: | 3 | | |
| • Type of hobs: | Induction | | |
| • Control lamp: | Output
Temperature
Time | | |
| • Size cerane surface: | W 510 x D 485 mm | | |
| • Overheating protection: | Yes | | |
| • Digital display: | Yes | | |

Induction cooker IK 3342

Add on Products

Frying pan 240A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 240 mm
- Diameter surface: 175 mm
- Pan height: 55 mm
- Material: Aluminium
Stainless steel
- Important information: -

Code-No. A150324
GTIN 4015613677958

Frying pan 280A



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Roasting surface design: Non stick coating (Quan Tanium)
- Induction-suitable: Yes
- Inside diameter: 280 mm
- Diameter surface: 205 mm
- Pan height: 55 mm
- Material: Aluminium
Stainless steel
- Important information: -

Code-No. A150328
GTIN 4015613677965

Cookware set T4P1



- Handle properties: Cold handle(s)
- Induction-suitable: Yes
- Material handle(s): Chrome-nickel steel
- With pouring rim: Yes
- Material: Chrome-nickel steel
- Important information: -
- Set comprises: 4 pots with a lid and 1 pan
Pot 1: contents 2 litres, Ø surface 16 cm, height 10 cm
Pot 2: contents 2.7 litres, Ø surface 18 cm, height 11 cm

Code-No. A130442
GTIN 4015613417158

Cookware set T4



- Set comprises: 4 pots with a lid
Pot 1: contents 8 litres, Ø surface 24 cm, height 20 cm
Pot 2: contents 9 litres, Ø surface 26 cm, height 20.5 cm
Pot 3: contents 13 litres, Ø surface 28 cm, height 22.5 cm
Pot 4: contents 15 litres, Ø surface 30 cm, height 25 cm
- Handle properties: Cold handle(s)
- Induction-suitable: Yes

Code-No. A130441
GTIN 4015613403977

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium
Exclusively available in Germany and Austria

Code-No. 173080
GTIN 4015613731933