



- ▶ 1 placement niche
- ✓ Work surface: W 1208 x D 600 mm
- ✓ Designed for max.: 3 tabletop devices



- ▶ 5 sockets
- ✓ 3 x 230 V
- ✓ 2 x 400 V 16A CEE



- ▶ Integrated ventilation
- ✓ With stainless steel labyrinth filter
- ✓ Switchable in 4 levels



- ▶ 4 GN containers
- ✓ 1/9 GN, 100 mm deep



- ▶ Suitable for front cooking station KST3240 Plus
- ✓ Platform 100 KST Plus
- ✓ Platform 200 KST Plus



Optimised mobile cooking station for a professional look in the front cooking field. From an induction cooker with 230V through to a solid griddle plate of the series 650 with 400V – With up to 3 tabletop units extremely flexible in the catering, event and front-cooking fields.

- | | | | |
|--------------------------------------|--|------------------|--|
| • Power load: | 24 kW 400 V 50 Hz | • Equipped with: | Integrated ventilation with labyrinth filter |
| • Equipment connection: | 3 NAC | • Filter type: | Activated carbon filter |
| • Swivel casters: | 4 swivel casters, 2 with brake | | Labyrinth filter |
| • ON/OFF switch: | Yes | | Zeolit-filter |
| • Flame protection filter: | Type A | • Size: | W 1,520 x D 770 x H 1,263 mm |
| • Material filter: | Stainless steel | • Weight: | 146 kg |
| • Number of filters: | 3 | | |
| • Fan regulation: | 4-level | | |
| • Size glass superstructure: | W 1475 x D 740 x H 345 mm | | |
| • Including: | - | | |
| • Number of niches: | 1 | | |
| • Important information: | - | | |
| • Control lamp: | ON/OFF | | |
| • With glass top: | Yes | | |
| • Lighting: | LED | | |
| | On the germ guard | | |
| • Material: | CNS 18/10 | | |
| • Designed for: | 2-3 table-top units | | |
| • Dimensions of niche utility space: | W 1,208 x D 600 mm | | |
| • Plug design: | 3 x 230 V, 2 x 400 V 16A CEE | | |
| • Not included in delivery: | Electrical appliances | | |
| | Platforms | | |
| | Side work surfaces | | |
| • Equipped with: | Storage compartment below the setting niches, dimensions: W 1,200 x D 600 x H 150 mm | | |
| | 4 GN containers 1/9 GN, 100 mm deep for oils, sauces, cooking cutlery | | |
| | Integrated electrical fuse | | |

Front cooking station KST3240 Plus

Add on Products

Multi-fryer 300



STAINLESS STEEL



- Type: Table-top unit
- Power load: 3 kW | 230 V | 50-60 Hz
- Grease release tap: Yes
- Grease collection tank: No
- Equipment connection: Pluggable
- Temperature range: 50 °C to 300 °C
- Series: -
- Control lamp: Heat up
- Material crucible: Steel
- Size crucible: W 325 x D 535 x H 60 mm
- Including: 1 plug

Code-No. 370205
GTIN 4015613653488

Electric stove 600, W600, 4PL, TU



CNS 18/10



- Power load: 8 kW | 400 V | 50 Hz
- Equipment connection: 3 NAC
- Type: Table-top unit
- Distribution of hobs: 4 x 2 kW
- Number of hobs: 4
- Large hobs: Ø 180 mm
- Type of hobs: Speed- hotplates
- Properties: -
- Including: -
- Operating mode: Electro
- Material: CNS 18/10

Code-No. 131734
GTIN 4015613310008

Cerane stove 600, 4 HTzones, TU



CNS 18/10



- Power load: 8 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Type: Table-top unit
- Distribution of hobs: 2 x 2,5 kW, 1 x 1,8 kW, 1 x 1,2 kW
- Number of hobs: 4
- Type of hobs: Glass ceramic
- Properties: -
- Including: -
- Operating mode: Electro
- Material: CNS 18/10
- Important information: -

Code-No. 131850
GTIN 4015613418209

Griddle plate 600, B600, smooth, HCP



CNS 18/10



- Heating zones can be controlled separately: Yes
- Power load: 7,2 kW | 400 V | 50 Hz
- Equipment connection: 3 NAC
- Type: Table-top unit
- Number of heating zones: 2
- Material roasting surface: Special steel, hard chrome-plated
- Size heating surface: W 590 x D 440 mm
- Roasting surface design: Smooth
- Including: -
- Operating mode: Electro

Code-No. 132125
GTIN 4015613547589

Electric Bain Marie



- Type: Table-top unit
- Water connection: -
- Water drain tap: Yes
- Water supply tap: No
- Including: -
- Not included in delivery: GN containers
Intermediate bars
- Operating mode: Electro
- Material: CNS 18/10
- Important information: -
- Basin size, GN format: 1 x 1/1 GN

Code-No. 131770
GTIN 4015613310091

Electric range 650, B400, 2PL, TGOK



- Power load: 4,1 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Type: Table-top unit
- Distribution of hobs: 1 x 2,6 kW, 1 x 1,5 kW
- Height-adjustable feet: No
- Large hobs: 1 x Ø 220 mm, 1 x Ø 180 mm
- Properties: -
- Including: -
- Series: 650 Snack
- Operating mode: Electro
- Type of hobs: Electro

Code-No. 115006
GTIN 4015613697550

Deep fat fryer 650, B400, 10L, TGOK



- Power load: 9 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Heating element: Can be swivelled
- Size basket: W 163 x D 295 x H 110 mm
- Basket content: 5,5 litre(s)
- Grease collection tank: No
- Series: 650 Snack
- Type: Table-top unit
- Operating mode: Electro
- Number of tanks: 1
- Beaker capacity: 10 litre(s)

Code-No. 115214
GTIN 4015613697604

Griddle plate 650, B400, GL, TGOK



- Power load: 3,9 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Control lamp: Heat up
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Series: 650 Snack
- Material roasting surface: Steel
- Size heating surface: W 396 x D 555 mm
- Roasting surface design: Smooth
- Including: -

Code-No. 115118
GTIN 4015613697581

Front cooking station KST3240 Plus

Add on Products

Bain-Marie 650, B400, 1/1GN, TGOK



- Power load: 1 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Series: 650 Snack
- Operating mode: Electro
- Number of tanks: 1
- Size basin: W 305 x D 510 x H 160 mm
- Basin size, GN format: 1 x 1/1 GN
- Depth GN container max.: 150 mm
- Water drain tap: Yes
- Water connection: -

Code-No. 115121
GTIN 4015613697574

Neutral element 650, W400, TGOK



- Type: Table-top unit
- Series: 650 Snack
- Material: CNS 18/10
- Important information: Device without chimney - only suitable for use in the cooking station KST3240 Plus
- Size: W 400 x D 595 x H 330 mm
- Weight: 10.9 kg

Code-No. 115117
GTIN 4015613697598

Griddle plate 600, B400, smooth



CNS 18/10



- Power load: 3,6 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Number of heating zones: 1
- Material roasting surface: Special steel, hard chrome-plated
- Size heating surface: W 390 x D 440 mm
- Roasting surface design: Smooth
- Including: -
- Operating mode: Electro
- Material: CNS 18/10
- Important information: -

Code-No. 132115
GTIN 4015613547572

Bain Marie 600, W400, TU



CNS 18/10



- Power load: 1,4 kW | 230 V | 50 Hz
- Type: Table-top unit
- Number of tanks: 1
- Water drain tap: Yes
- Water supply tap: No
- Including: -
- Not included in delivery: GN containers
Intermediate bars
- Operating mode: Electro
- Material: CNS 18/10
- Important information: -

Code-No. 131760
GTIN 4015613310084

Front cooking station KST3240 Plus

Add on Products

Countertop electric hob 1K3000 GL



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Control lamp: yes
- Size cerane surface: W 350 x D 350 mm
- Number of output levels: 10
- Diameter hob(s): 230 mm
- Material hob: SCHOTT CERAN®
- Output hob(s) max.: 3 kW

Code-No. 104906
GTIN 4015613432540

Induction stove 1 CZ, 2,5kW, TU



- Diameter hob(s): 230 mm
- Power load: 2,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Type of hobs: Induction
- Size cerane surface: W 290 x D 290 mm
- ON/OFF switch: No
- Number of output levels: Stepless
- Properties: -

Code-No. A105942
GTIN 4015613370156

Table top induction stove ITH 35S-220



- Diameter hob(s): 220 mm
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Number of hobs: 1
- Control lamp: -
- Type of hobs: Induction
- Size cerane surface: W 290 x D 290 mm
- Overheating protection: Yes
- Digital display: Yes
- ON/OFF switch: No
- Pot recognition: Yes

Code-No. 105984
GTIN 4015613676623

Griddle plate GDP 320E-G



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Number of heating zones: 1
- Size heating surface: W 320 x D 480 mm
- Roasting surface design: Smooth
- Including: 1 cleaning scraper
- Operating mode: Electro
- Material: CNS 18/10

Code-No. A370031
GTIN 4015613370545

Front cooking station KST3240 Plus

Add on Products

Griddle plate GDP 320E-R



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Number of heating zones: 1
- Size heating surface: W 320 x D 480 mm
- Roasting surface design: Ribbed
- Including: 1 cleaning scraper
- Operating mode: Electro
- Material: CNS 18/10

Code-No. 370035
GTIN 4015613610894

Induction wok 3kW, TU



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Type of hobs: Induction
- Series: -
- Control lamp: -
- Material hob: SCHOTT CERAN®
- Digital display: Yes
- ON/OFF switch: No
- Number of output levels: Stepless

Code-No. 105840
GTIN 4015613468235

Induction cooker IK 35TC



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Touch
- Number of hobs: 1
- Type of hobs: Induction
- Overheating protection: Yes
- Digital display: Yes
- ON/OFF switch: Yes

Code-No. 105843
GTIN 4015613633329

Induction cooker IK 35TCS



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Touch
- Number of hobs: 1
- Type of hobs: Induction
- Overheating protection: Yes
- Digital display: Yes
- ON/OFF switch: Yes

Code-No. 105843S
GTIN 4015613638300

Front cooking station KST3240 Plus

Add on Products

Induction cooker IK 35SK 3,5kW



STAINLESS
STEEL

3,5 kW



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Type of hobs: Induction
- Control lamp: yes
- Overheating protection: Yes
- Digital display: Yes

Code-No. 105837
GTIN 4015613520643

Cerane stove 600, 2 plates, TU



CNS
18/10



- Power load: 4,3 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Type: Table-top unit
- Distribution of hobs: 1 x 2,5 kW, 1 x 1,8 kW
- Number of hobs: 2
- Type of hobs: Glass ceramic
- Properties: -
- Including: -
- Operating mode: Electro
- Material: CNS 18/10
- Important information: -

Code-No. 131800
GTIN 4015613418193

Platform 200 KST Plus

CNS
18/10



- Important information: -
- Material: CNS 18/10
- Size: W 400 x D 595 x H 200 mm
- Weight: 7.4 kg

Code-No. 107277
GTIN 4015613684659

Platform 100 KST Plus

CNS
18/10



- Material: CNS 18/10
- Important information: -
- Size: W 400 x D 595 x H 100 mm
- Weight: 3.1 kg

Code-No. 107276
GTIN 4015613682549

Front cooking station KST3240 Plus

Add on Products

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium
Exclusively available in Germany and Austria

Code-No. 173080
GTIN 4015613731933

Tray slide KST3240 Plus

CNS
18/10



- Including: Attachment material
- Material: CNS 18/10
- Important information: -
- Size: W 1,490 x D 345 x H 130 mm
- Weight: 4.4 kg

Code-No. 107278
GTIN 4015613695334

Side table KST Plus

CNS
18/10




- Including: Attachment material
- Important information: -
- Assembly side: Left
Right
- Material: CNS 18/10
- Size: W 700 x D 350 x H 80 mm
- Weight: 4.4 kg

Code-No. 107279
GTIN 4015613695341

Front cooking station KST3240 Plus

Add on Products

Active carbon filter mat KST3240 Plus



- Material: Activated carbon
- Important information: One active carbon filter mat is contained in the cooking station KST3240 Plus
- Size: W 1,120 x D 445 x H 10 mm
- Weight: 0.21 kg

Code-No. 107273
GTIN 4015613681634

Zeolite filter KST Plus



- Material: Zeolite
- Important information: There are 2 zeolite filters in the KST2200 Plus cooking station
There are 3 zeolite filters in the KST3240 Plus cooking station
- Size: W 462 x D 380 x H 16 mm
- Weight: 3.6 kg

Code-No. 107274
GTIN 4015613692326

GN container, 1/9 GN, D100

CNS
18/10



- Content: 1 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A129100
GTIN 4016098169198

GN-container, 1/9GN,D100, Basic Line

CNS



- Content: 1 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Basic Line
- Material: Chrome-nickel steel
- Properties: -

Code-No. 719100
GTIN 4015613695914

Front cooking station KST3240 Plus

Add on Products

Lid 1/9GN

CNS
18/10



- Spoon recess: No
- Silicone seal: No
- Surface: High-gloss
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Top Line
- Important information: -
- Material: CNS 18/10
- Size: W 176 x D 108 x H 20 mm
- Weight: 0.1 kg

Code-No. A120649
GTIN 4016098169204

Lid 1/9 GN, Basic Line

CNS



- Spoon recess: No
- Silicone seal: No
- Surface: Silk matt
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Basic Line
- Material: Chrome-nickel steel
- Important information: -
- Size: W 176 x D 108 x H 20 mm
- Weight: 0.08 kg

Code-No. 711319
GTIN 4015613695990

Electric cooker 600 2PLTG



CNS
18/10



- Power load: 4 kW | 400 V | 50 Hz
- Equipment connection: 2 NAC
- Type: Table-top unit
- Distribution of hobs: 2 x 2 kW
- Height-adjustable feet: No
- Large hobs: Ø 180 mm
- Properties: -
- Including: -
- Operating mode: Electro
- Type of hobs: Speed- hotplates
- Number of hobs: 2

Code-No. 131723
GTIN 4015613690094

Induction wok IW35



STAINLESS
STEEL

3,5 kW



- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Touch Electronic
- Series: -
- Control lamp: ON/OFF
Output
Temperature
Time
- Material hob: Glass
- Material: Stainless steel

Code-No. 105986
GTIN 4015613680217

Induction cooker IK 30TC-1



STAINLESS
STEEL

3,0 kW



- Time adjustment: 1 to 180 minutes
- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Diameter hob(s): 230 mm
- Output hob(s) max.: 3000 W
- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Number of hobs: 1
- Type of hobs: Induction
- Size cerane surface: W 275 x D 275 mm

Code-No. 105991
GTIN 4015613698946

Induction cooker IK 30TCS-1



STAINLESS
STEEL

3,0 kW



- Intervals time setting: 1 minute / 10 minutes
- Time adjustment: 1 to 180 minutes
- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Diameter hob(s): 230 mm
- Output hob(s) max.: 3000 W
- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Touch

Code-No. 105991S
GTIN 4015613714882

Induction stove ITH 30-265



STAINLESS
STEEL

3,0 kW



- Diameter hob(s): 265 mm
- Output hob(s) max.: 3000 W
- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Type of hobs: Induction
- Control lamp: ON/OFF Overheating
- Size cerane surface: W 346 x D 346 mm

Code-No. 105993
GTIN 4015613712673

Induction wok 30/293



STAINLESS
STEEL

3,0 kW



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Type of hobs: Induction
- Series: -
- Control lamp: ON/OFF Overheating
- Overheating protection: Yes
- Material hob: EuroKera glass ceramic
- Digital display: Yes

Code-No. 105871
GTIN 4015613712635

Front cooking station KST3240 Plus


Add on Products

Induction wok 35/293



STAINLESS STEEL

3,5 kW



- Power load: 3,5 kW | 230 V | 50/60 Hz
- Control unit: Electronic Toggle
- Type of hobs: Induction
- Series: -
- Overheating protection: Yes
- Digital display: Yes
- ON/OFF switch: No
- Pot recognition: Yes
- Diameter hob: 293 mm
- Regulation of: Output

Code-No. 105872
GTIN 4015613712642

Induction wok IW 35 PRO-2



STAINLESS STEEL

3,5 kW



- Material: Stainless steel
- Material hob: SCHOTT CERAN®
- Type of hobs: Induction
- Diameter hob: 260 mm
- Number of output levels: 10
- Regulation of: Output
Time
Temperature
- Important information: -
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable

Code-No. 105732
GTIN 4015613706498

Induction stove ITH 35-265



STAINLESS STEEL

3,5 kW



- Diameter hob(s): 265 mm
- Output hob(s) max.: 3500 W
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Type of hobs: Induction
- Size cerane surface: W 346 x D 346 mm
- Overheating protection: Yes
- Digital display: Yes

Code-No. 105994
GTIN 4015613712680

Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)
- Designed for: Wipe-off work surfaces, stainless steel surfaces
Tiled walls and floors
Highly effective against deposits in coffee cans
Machines, appliances

Code-No. 173276
GTIN 4015613761176