# Pre-clearing table DS-RE1B SKE





This pre-cleaning unit, which is compatible with the DS feed-through dishwashers, is fitted with a 40litre sink and is designed for attachment on the right-hand side. 500x500 and 600x500 baskets with a height of up to 145 mm can be stored in the three practical rack slots.

860 mm to 930 mm · Height adjustable: • Beaker capacity: 40 litre(s)

 Size basin: W 400 x D 400 x H 250 mm

· Position sink: Left • Water outlet: 1 1/2' • Rinsing rack inserts: 3

Basket dimensions: 500 x500,

600 x 500 mm

Basket height max.: 145 mm

· Base shelf: Yes Splash protection: yes · Height of splash pro-110 mm tection:

· Assembly side on dish-Right washer: · With waste chute: No

· With sink: Base shelf dimensions: W 600 x · Properties:

D 500 mm

• Height-adjustable:

Material: Stainless steel


• Important information:

W 1,202 x D 714 x H 975 mm • Size:

• Weight: 26.6 kg



Water outlet: 1 1/2"



Basket height: 145 mm



With base shelf



## Pre-clearing table DS-RE1B SKE

Add on Products

#### Stainl.steel polish.spray 500ml can



• Content / can:

· Application:

Remove heavy soiling such as grease residue

Do not spray onto hot surfaces

• allow them to cool down first:

· Application:

Before use, bring the can to room temperature

and shake well

Spray sparingly onto the surfaces to be cleaned

Rub evenly over the entire surface Polish with a dry cloth

#### Power cleaner F1L



1 box (6 bottles)

6 x 1 litre

Liquid

• Order quantity unit:

• Content:

• Model:

• HACCP compliant:

Yes • Chlorine-free: Yes · Phosphate-free:

• Designed for:

Manual cleaning of heavily soiled surfaces Grill, oven and combi steamer cleaning (wi-

thout cleaning system)

Cookers, extractor hoods, tilting frying pans

#### Single handle mixer 40L-3601B



• Fitting type:

• Design:

• Flow at 3 bar: · Properties:

Handles:

• Installation:

· Valve type:

• Material:

· Jet regulator mouthpiece: · Swivelling outlet:

Single lever mixer

Mixer tap 40 L / Min.

Stuffing box can be retightened

Copper pipe connection 15 mm

High-performance cartridge with ceramic was-

her equipment Chrome-plated

3/4 " inner thread

360°

Code-No. 400126

#### Two handle mixer 26L-1801B



• Important information:

• Swivelling outlet:

• Fitting type:

• Design:

• Assembly type: Valve type:

Diameter table borehole:

• Flow at 3 bar:

• Handles: Jet regulator mouthpiece: 180°

Two-handle mixer

Mixer tap with dishwashing shower arm

Single-hole borehole Stainless steel valve seats

30 - 35 mm

Outlet quantity: 16 L / min. Jet regulator: 26 L / min.

Metal (EUR) 55 mm

Code-No. 400136



# Pre-clearing table DS-RE1B SKE

Add on Products

#### Two handle mixer 40L-1802B

• Important information:

• Fitting type:

• Design:

• Diameter table borehole: • Water connection:

• Flow at 3 bar:

· Handles:

• Valve type:

Jet regulator mouthpiece:

• Swivelling outlet:

Two-handle mixer

Mixer tap with dishwashing shower arm

21 - 25 mm

Outlet quantity: 16 L / min.

Jet regulator: 40 L / min.

Metal (EUR)

Stainless steel valve seats

55 mm 180°

### Single handle mixer 40L-1801B



• Fitting type:

• Design:

• Flow at 3 bar:

• Properties:

Single lever mixer

Mixer tap with dishwashing shower arm

Shower arm: 18 L / min.

Jet regulator: 40 L / min.

Replaceable sieve

Spring mechanism Rubber stopper ring

No chrome-damage by additional hard-nickel

coating

Check valve

Code-No. 400123