



- ▶ GN capacity:
  - ✓ 3 x GN 1/3 + 1 x GN 1/2
  - ✓ Max. depth of GN containers: 150 mm



- ▶ GN containers not included in the delivery

## Hygienic and clean – glass attachment as sneeze guard

- |                                  |                                    |                             |                                     |
|----------------------------------|------------------------------------|-----------------------------|-------------------------------------|
| • Front pane:                    | Turned-down edges                  | • Including:                | 4 bars: length 326 mm, width 25 mm  |
| • Safety glass:                  | Yes                                | • Properties:               | Cooling aggregate with cooling tray |
| • Type of glass:                 | Single glazing                     | • Design:                   | With glass top                      |
| • Size glass superstructure:     | W 1190 x D 390 x H 195 mm          | • Not included in delivery: | GN containers                       |
| • Glass top unit design, back:   | Open                               | • Material:                 | Chrome-nickel steel                 |
| • Power load:                    | 0,166 kW   230 V   50 Hz           | • Important information:    | -                                   |
| • Temperature range:             | 0 °C to 10 °C                      | • Size:                     | W 1,200 x D 395 x H 459 mm          |
| • Control unit:                  | Electronic                         | • Weight:                   | 39 kg                               |
|                                  | Knob                               |                             |                                     |
| • Control lamp:                  | ON/OFF                             |                             |                                     |
| • Temperature control:           | Digital                            |                             |                                     |
| • Climate class:                 | N                                  |                             |                                     |
| • Cooling:                       | Static                             |                             |                                     |
| • Coolant:                       | R290 / 0,030 kg                    |                             |                                     |
| • Digital display:               | Yes                                |                             |                                     |
| • Lighting:                      | -                                  |                             |                                     |
| • Delivery state:                | Building kit (simple assembly)     |                             |                                     |
| • Depth GN container max.:       | 150 mm                             |                             |                                     |
| • Automatic defrosting function: | Yes                                |                             |                                     |
| • Drip water evaporation:        | Yes                                |                             |                                     |
| • ON/OFF switch:                 | Yes                                |                             |                                     |
| • Capacity GN:                   | 3 x 1/3 GN + 1 x 1/2 GN            |                             |                                     |
| • Including:                     | 1 bar: length 326 mm, width 45 mm  |                             |                                     |
|                                  | 4 bars: length 181 mm, width 25 mm |                             |                                     |

## Cooling top GL3-1201

Add on Products

### Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first  
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well  
Spray sparingly onto the surfaces to be cleaned  
  
Rub evenly over the entire surface  
Polish with a dry cloth

Code-No. 173031  
GTIN 4015613360195

### GN container, 1/3, D150

CNS  
18/10



- Content: 5,75 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 150 mm
- Gastronorm: 1/3 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A123150  
GTIN 4016098101266

### GN container, 1/3, D100

CNS  
18/10



- Content: 4 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm
- Gastronorm: 1/3 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A123100  
GTIN 4016098162809

### GN container, 1/1, D100

CNS  
18/10



- Content: 14 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A121100  
GTIN 4016098162762

### GN container, 1/2, 150mm, 9,5 L

CNS  
18/10



- Content: 9,5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 150 mm
- Gastronorm: 1/2 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A120620  
GTIN 4015613278988