



- ▶ Basket dimensions: 350 x 350 mm
- ▶ Max. glass height: 260 mm



- ▶ Output/h: 30 baskets
- ▶ Cycle time: 120 seconds


- ▶ Dishwasher including:
  - ✓ Rinse aid dosing pump
  - ✓ Discharge pump
  - ✓ Detergent dosing pump

- ▶ Easy to use
- ▶ We recommend a warm water connection up to 60°C
- ▶ Cleaning cups, saucers, glasses and mugs, also in bar areas

This floor-standing dishwasher is easy to use and concentrates on what really matters – cleanliness and reliability in a compact form.

- |                                    |                         |                             |                          |
|------------------------------------|-------------------------|-----------------------------|--------------------------|
| • Door double-walled:              | Yes                     | • Water intake temperature: | 5 °C to 60 °C            |
| • Can be fitted below the counter: | Yes                     | • Number of wash programs:  | 1                        |
| • Glasses height max.:             | 260 mm                  | • Display:                  | -                        |
| • Power load:                      | 2,59 kW   230 V   50 Hz | • Material:                 | Stainless steel          |
| • Equipment connection:            | 1 NAC                   | • Including:                | 1 cutlery holder         |
| • Boiler heater:                   | 2,4 kW                  |                             | 2 universal baskets      |
| • Tank heater:                     | 1,25 kW                 |                             | 1 saucer insert          |
| • Dry-run protection:              | Yes                     |                             | 1 water supply hose      |
| • Control lamp:                    | yes                     |                             | 1 water outlet hose      |
| • ON/OFF switch:                   | Yes                     | • Size:                     | W 410 x D 480 x H 672 mm |
| • Lye pump:                        | Yes                     | • Weight:                   | 31.8 kg                  |
| • Water softener:                  | No                      |                             |                          |
| • Clear rinsing dosing pump:       | Yes                     |                             |                          |
| • Door contact switch:             | Yes                     |                             |                          |
| • Safety thermostat:               | Yes                     |                             |                          |
| • Cleaning agent dosing pump:      | Yes                     |                             |                          |
| • Basket dimensions:               | 350 x 350 mm            |                             |                          |
| • Run-time:                        | 120 seconds             |                             |                          |
| • Output / hour max.:              | 30 baskets              |                             |                          |
| • Self-cleaning:                   | No                      |                             |                          |
| • Cold rinsing:                    | No                      |                             |                          |
| • Double-walled:                   | Yes                     |                             |                          |
| • Tank volume:                     | 12 litre(s)             |                             |                          |
| • Water consumption at 2 bar:      | 1.4 litres / wash cycle |                             |                          |
| • Water pressure:                  | 2 - 4 bar               |                             |                          |
| • Water supply:                    | 3/4"                    |                             |                          |
| • Water outlet:                    | Ø 20 mm                 |                             |                          |

### Universal basket 350x350x110



- Basket size: 350 x 350 mm
- Number of shelves: 1
- Colour: Grey
- Design: Flat
- Suitable for: Glasses  
Cups
- Important information: -
- Inside height: 103 mm
- Stackable: Yes
- Material: Plastic
- Size: W 350 x D 350 x H 110 mm

Code-No. 110312  
GTIN 4015613432007


### Universal basket 350x350x170



- Basket size: 350 x 350 mm
- Number of shelves: 1
- Colour: White
- Design: Flat
- Suitable for: Glasses  
Cups
- Important information: -
- Inside height: 143 mm
- Stackable: No
- Material: Steel  
Coated

Code-No. 110311  
GTIN 4015613586564


### Cutlery cylinder for dishwashers



- Colour: Grey
- Important information: -
- Material: Plastic
- Diameter: 107 mm
- Size: W 107 x D 107 x H 119 mm
- Weight: 0.1 kg

Code-No. 110318  
GTIN 4015613432021

### Insert for saucers f. dishw.basket



- Important information: -
- Material: Steel  
Coated
- Number of shelves: 14
- Size: W 300 x D 100 x H 90 mm
- Weight: 0.2 kg

Code-No. 110317  
GTIN 4015613432014

### Glass polisher



- Number of polishing heads: 5
- Power load: 1,1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
- Properties: Microfibre polishing scarves detachable
- Including: -
- Material: Stainless steel  
Microfibre
- Important information: -
- ON/OFF switch: Yes
- Control lamp: -
- Size: W 340 x D 305 x H 520 mm

Code-No. 109470  
GTIN 4015613455624

### Full desalination system VK 500 FB



- Desalination type: Full desalination
- Water connection: 3/4"
- Colour: Blue
- Connection capacity: 1 unit
- Output capacity: 5,000 litres / cartridge at 10° d (total salt content)
- Material: Plastic  
Glass-fibre reinforced
- Important information: -
- Deposit per cartridge: 290 €
- Sampling tap: Yes

Code-No. 109877  
GTIN 4015613681580

### Dishwasher cleaner P5kg



- Designed for: Commercial dishwashers  
Household dishwashers
- Model: Powder
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: No
- Phosphate-free: No
- Application: Dosing: Manual, according to the machine manufacturer's instructions  
Application concentrations: 2 - 4 g per litre of water depending on water hardness

Code-No. 173074  
GTIN 4015613731872

### Rinsing agent F10L



- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Content: 10 litres
- Designed for: Commercial dishwashers  
Household dishwashers  
Combi steamer with rinsing program
- Application: Application concentrations: 0.2 - 0.4 g per litre of rinsing water depending on water hardness

Code-No. 173272  
GTIN 4015613767901

### Dish-washing deterg. metering pump TG280



- Power load: 0,005 kW | 230 V | 50 Hz
- Colour: Blue
- Design: Fitted unit
- Volume flow: 0,28 L / hour to 2,8 L /hour
- Cleaning agent dosing: Cycle-controlled
- Material: Plastic
- Important information: -
- Including: 1 connection set  
Installation kit
- Size: W 69 x D 103 x H 62 mm
- Weight: 0.45 kg

Code-No. 109518  
GTIN 4015613432403

### Detergent metering pump LWG600



#### Benefits of a conductivity-controlled cleaning agent dosing pump

- ✓ Economic, needs-based consumption of cleaning agent by determining the conductivity in the rinsing water

- Power load: 0,004 kW | 230 V | 50/60 Hz
- Colour: Grey
- Design: Wall-mounting
- Volume flow: 0,1 L / hour to 6 L /hour
- Cleaning agent dosing: Setpoint controlled
- Including: 1 connection set

Code-No. 109547  
GTIN 4015613506517

### Water softening system WEH1600



- Power load: 0,006 kW | 230 V | 50/60 Hz
- Digital display: Yes
- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Regeneration: Time period
- Water connection: 3/4"
- Colour: White
- Output capacity: 1,600 litres / day at 10° d (total hardness)
- Material: Plastic
- Important information: -
- Connection capacity: 1 unit

Code-No. 109952  
GTIN 4015613797762