



- ▶ Basket dimensions: 350 x 350 mm
- ▶ Max. glass height: 260 mm



- ▶ Output/h: 30 baskets
- ▶ Cycle time: 120 seconds


- ▶ Dishwasher including
 - ✓ Rinse aid dosing pump
 - ✓ Detergent dosing pump
 - ✓ Water softener

- ▶ Easy to use
- ▶ We recommend a warm water connection up to 60°C
- ▶ Cleaning cups, saucers, glasses and mugs, also in bar areas

This floor-standing dishwasher is easy to use and concentrates on what really matters – cleanliness and reliability in a compact form

- | | | | |
|------------------------------------|-------------------------|-----------------------------|---------------------------|
| • Door double-walled: | Yes | • Water intake temperature: | 5 °C to 60 °C |
| • Can be fitted below the counter: | Yes | • Number of wash programs: | 1 |
| • Glasses height max.: | 260 mm | • Display: | - |
| • Power load: | 2,59 kW 230 V 50 Hz | • Material: | Stainless steel |
| • Equipment connection: | 1 NAC | • Including: | 1 cutlery holder |
| • Boiler heater: | 2,4 kW | | 2 universal baskets |
| • Tank heater: | 1,25 kW | | 1 saucer insert |
| • Dry-run protection: | Yes | | 1 water supply hose |
| • Safety thermostat: | Yes | | 1 water outlet hose |
| • Control lamp: | yes | | 1 filling funnel for salt |
| • ON/OFF switch: | Yes | • Size: | W 410 x D 480 x H 672 mm |
| • Lye pump: | No | • Weight: | 33.4 kg |
| • Cleaning agent dosing pump: | Yes | | |
| • Water softener: | Yes | | |
| • Clear rinsing dosing pump: | Yes | | |
| • Door contact switch: | Yes | | |
| • Basket dimensions: | 350 x 350 mm | | |
| • Run-time: | 120 seconds | | |
| • Output / hour max.: | 30 baskets | | |
| • Self-cleaning: | No | | |
| • Cold rinsing: | No | | |
| • Double-walled: | Yes | | |
| • Tank volume: | 12 litre(s) | | |
| • Water consumption at 2 bar: | 1.4 litres / wash cycle | | |
| • Water pressure: | 2 - 4 bar | | |
| • Water supply: | 3/4" | | |
| • Water outlet: | Ø 20 mm | | |

Universal basket 350x350x110



- Basket size: 350 x 350 mm
- Number of shelves: 1
- Colour: Grey
- Design: Flat
- Suitable for: Glasses
Cups
- Important information: -
- Inside height: 103 mm
- Stackable: Yes
- Material: Plastic
- Size: W 350 x D 350 x H 110 mm

Code-No. 110312
GTIN 4015613432007


Universal basket 350x350x170



- Basket size: 350 x 350 mm
- Number of shelves: 1
- Colour: White
- Design: Flat
- Suitable for: Glasses
Cups
- Important information: -
- Inside height: 143 mm
- Stackable: No
- Material: Steel
Coated

Code-No. 110311
GTIN 4015613586564


Cutlery cylinder for dishwashers



- Colour: Grey
- Important information: -
- Material: Plastic
- Diameter: 107 mm
- Size: W 107 x D 107 x H 119 mm
- Weight: 0.1 kg

Code-No. 110318
GTIN 4015613432021

Insert for saucers f. dishw.basket



- Important information: -
- Material: Steel
Coated
- Number of shelves: 14
- Size: W 300 x D 100 x H 90 mm
- Weight: 0.2 kg

Code-No. 110317
GTIN 4015613432014

Dishwasher GS C350 RW

Add on Products

Glass polisher



- Number of polishing heads: 5
- Power load: 1,1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
- Properties: Microfibre polishing scarves detachable
- Including: -
- Material: Stainless steel
Microfibre
- Important information: -
- ON/OFF switch: Yes
- Control lamp: -
- Size: W 340 x D 305 x H 520 mm

Code-No. 109470
GTIN 4015613455624

Full desalination system VK 500 FB



- Desalination type: Full desalination
- Water connection: 3/4"
- Colour: Blue
- Connection capacity: 1 unit
- Output capacity: 5,000 litres / cartridge at 10° d (total salt content)
- Material: Plastic
Glass-fibre reinforced
- Important information: -
- Deposit per cartridge: 290 €
- Sampling tap: Yes

Code-No. 109877
GTIN 4015613681580

Dishwasher cleaner P5kg



- Designed for: Commercial dishwashers
Household dishwashers
- Model: Powder
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: No
- Phosphate-free: No
- Application: Dosing: Manual, according to the machine manufacturer's instructions
Application concentrations: 2 - 4 g per litre of water depending on water hardness

Code-No. 173074
GTIN 4015613731872

Rinsing agent F10L



- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Content: 10 litres
- Designed for: Commercial dishwashers
Household dishwashers
Combi steamer with rinsing program
- Application: Application concentrations: 0.2 - 0.4 g per litre of rinsing water depending on water hardness

Code-No. 173272
GTIN 4015613767901

Detergent metering pump LWG600



Benefits of a conductivity-controlled cleaning agent dosing pump

- ✓ Economic, needs-based consumption of cleaning agent by determining the conductivity in the rinsing water

- Power load: 0,004 kW | 230 V | 50/60 Hz
- Colour: Grey
- Design: Wall-mounting
- Volume flow: 0,1 L / hour to 6 L /hour
- Cleaning agent dosing: Setpoint controlled
- Including: 1 connection set

Code-No. 109547
GTIN 4015613506517

Water softening system WEH1600



- Power load: 0,006 kW | 230 V | 50/60 Hz
- Digital display: Yes
- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Regeneration: Time period
- Water connection: 3/4"
- Colour: White
- Output capacity: 1,600 litres / day at 10° d (total hardness)
- Material: Plastic
- Important information: -
- Connection capacity: 1 unit

Code-No. 109952
GTIN 4015613797762