



- ▶ Basket dimensions: 400 x 400 mm
- ▶ Max. glass height: 305 mm



- ▶ Output/h: 60 baskets
- ▶ Cycle time: 60 / 90 / 120 / 180 seconds


- ▶ Dishwasher including:
 - ✓ Rinse aid dosing pump
 - ✓ Discharge pump
 - ✓ Cold rinse

- ▶ Direct overview of all settings and wash program progress thanks to small display
- ▶ We recommend a warm water connection up to 60°C
- ▶ Flexible washing with 4 different wash programs
- ▶ Washed items can be reused quickly thanks to cold rinse

Thanks to this flexible glass washer with cold rinse function, glasses in particular are ready for reuse really quickly. It's also perfect for use for other washing areas in cafeterias, bars and cafes. The small display means that you can keep an eye on the settings and program progress at all times.

- | | | | |
|------------------------------------|-----------------------------|----------------------------|--------------------------|
| • Door double-walled: | Yes | • Including: | 1 universal basket |
| • Can be fitted below the counter: | Yes | | 1 glasses basket |
| • Power load: | 3,2 kW 230 V 50 Hz | | 1 saucer insert |
| • Equipment connection: | 1 NAC | | 1 water supply hose |
| • Boiler heater: | 2,8 kW | | 1 water outlet hose |
| • Tank heater: | 1,25 kW | • Number of wash programs: | 4 |
| • Dry-run protection: | Yes | • Display: | yes |
| • Control lamp: | yes | • Material: | Stainless steel |
| • ON/OFF switch: | Yes | • Glasses height max.: | 305 mm |
| • Lye pump: | Yes | • Double-walled: | No |
| • Water softener: | No | • Size: | W 450 x D 560 x H 696 mm |
| • Clear rinsing dosing pump: | Yes | • Weight: | 31 kg |
| • Door contact switch: | Yes | | |
| • Safety thermostat: | Yes | | |
| • Cleaning agent dosing pump: | No | | |
| • Basket dimensions: | 400 x 400 mm | | |
| • Run-time: | 60 / 90 / 120 / 180 seconds | | |
| • Output / hour max.: | 60 baskets | | |
| • Self-cleaning: | No | | |
| • Cold rinsing: | Yes | | |
| • Tank volume: | 14,5 litre(s) | | |
| • Water consumption at 2 bar: | 1.8 litres / wash cycle | | |
| • Water pressure: | 2 - 4 bar | | |
| • Water supply: | 3/4" | | |
| • Water outlet: | Ø 20 mm | | |
| • Water intake temperature: | 5 °C to 60 °C | | |
| • Including: | 1 cutlery holder | | |

Universal basket 400x400x135



- Basket size: 400 x 400 mm
- Number of shelves: 1
- Colour: Grey
- Design: Flat
- Suitable for: Glasses
Cups
- Important information: -
- Inside height: 107 mm
- Stackable: Yes
- Material: Plastic
- Size: W 400 x D 400 x H 135 mm

Code-No. 109325
GTIN 4015613468303

Basket for glasses 400x400x185



- Basket size: 400 x 400 mm
- Number of shelves: 4
- Colour: White
- Design: Tilted
- Suitable for: Glasses
Cups
- Important information: -
- Stackable: No
- Material: Steel
Coated
- Inside height: 150 mm

Code-No. 109327
GTIN 4015613468327


Plates basket 400x400x120



- Basket size: 400 x 400 mm
- Colour: White
- Design: Plate holders
- Suitable for: Plates
- Important information: -
- Number of shelves: 16
- Inside height: 52 mm
- Stackable: No
- Material: Steel
Coated
- Size: W 400 x D 400 x H 120 mm

Code-No. 109326
GTIN 4015613468310

Cutlery cylinder for dishwashers



- Colour: Grey
- Important information: -
- Material: Plastic
- Diameter: 107 mm
- Size: W 107 x D 107 x H 119 mm
- Weight: 0.1 kg

Code-No. 110318
GTIN 4015613432021

Dishwasher GS M400 LP K

Add on Products

Full desalination system VK 500 FB



- Desalination type: Full desalination
- Water connection: 3/4"
- Colour: Blue
- Connection capacity: 1 unit
- Output capacity: 5,000 litres / cartridge at 10° d (total salt content)
- Material: Plastic
Glass-fibre reinforced
- Important information: -
- Deposit per cartridge: 290 €
- Sampling tap: Yes

Code-No. 109877
GTIN 4015613681580

Glass polisher



- Number of polishing heads: 5
- Power load: 1,1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
- Properties: Microfibre polishing scarves detachable
- Including: -
- Material: Stainless steel
Microfibre
- Important information: -
- ON/OFF switch: Yes
- Control lamp: -
- Size: W 340 x D 305 x H 520 mm

Code-No. 109470
GTIN 4015613455624

Dishwasher cleaner P5kg



- Designed for: Commercial dishwashers
Household dishwashers
- Model: Powder
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: No
- Phosphate-free: No
- Application: Dosing: Manual, according to the machine manufacturer's instructions
Application concentrations: 2 - 4 g per litre of water depending on water hardness

Code-No. 173074
GTIN 4015613731872

Rinsing agent F10L



- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Content: 10 litres
- Designed for: Commercial dishwashers
Household dishwashers
Combi steamer with rinsing program
- Application: Application concentrations: 0.2 - 0.4 g per litre of rinsing water depending on water hardness

Code-No. 173272
GTIN 4015613767901

Dish-washing deterg. metering pump TG280



- Power load: 0,005 kW | 230 V | 50 Hz
- Colour: Blue
- Design: Fitted unit
- Volume flow: 0,28 L / hour to 2,8 L /hour
- Cleaning agent dosing: Cycle-controlled
- Material: Plastic
- Important information: -
- Including: 1 connection set
Installation kit
- Size: W 69 x D 103 x H 62 mm
- Weight: 0.45 kg

Code-No. 109518
GTIN 4015613432403

Detergent metering pump LWG600



Benefits of a conductivity-controlled cleaning agent dosing pump

- ✓ Economic, needs-based consumption of cleaning agent by determining the conductivity in the rinsing water

- Power load: 0,004 kW | 230 V | 50/60 Hz
- Colour: Grey
- Design: Wall-mounting
- Volume flow: 0,1 L / hour to 6 L /hour
- Cleaning agent dosing: Setpoint controlled
- Including: 1 connection set

Code-No. 109547
GTIN 4015613506517

Water softening system WEH1600



- Power load: 0,006 kW | 230 V | 50/60 Hz
- Digital display: Yes
- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Regeneration: Time period
- Water connection: 3/4"
- Colour: White
- Output capacity: 1,600 litres / day at 10° d (total hardness)
- Material: Plastic
- Important information: -
- Connection capacity: 1 unit

Code-No. 109952
GTIN 4015613797762