



- ▶ Basket dimensions: 500 x 500 mm
- ▶ Max. glass height: 320 mm
- ▶ Max. plate height: 345 mm



- ▶ Output/h: 60 baskets
- ▶ Cycle time: 60 / 90 / 120 / 180 seconds

- ▶ Dishwasher including:
  - ✓ Rinse aid dosing pump
  - ✓ Discharge pump
  - ✓ Cold rinse

- ▶ Direct overview of all settings and wash program progress thanks to small display
- ▶ We recommend a warm water connection up to 60°C
- ▶ Flexible washing with 4 different wash programs
- ▶ Washed items can be reused quickly thanks to cold rinse

Thanks to this dishwasher with cold rinse function, glasses in particular are ready for reuse really quickly. It's also perfect for use for all other washing areas. The small display means that you can keep an eye on the settings and program progress at all times.

- |                                    |                             |                             |                          |
|------------------------------------|-----------------------------|-----------------------------|--------------------------|
| • Plate height max.:               | 345 mm                      | • Water intake temperature: | 5 °C to 60 °C            |
| • Door double-walled:              | Yes                         | • Number of wash programs:  | 4                        |
| • Can be fitted below the counter: | Yes                         | • Display:                  | yes                      |
| • Glasses height max.:             | 320 mm                      | • Material:                 | Stainless steel          |
| • Power load:                      | 5,15 kW   400 V   50 Hz     | • Including:                | 1 cutlery holder         |
| • Equipment connection:            | 3 NAC                       |                             | 1 universal basket       |
| • Boiler heater:                   | 4,5 kW                      |                             | 1 plate basket           |
| • Tank heater:                     | 2,7 kW                      |                             | 1 water supply hose      |
| • Dry-run protection:              | Yes                         |                             | 1 water outlet hose      |
| • Control lamp:                    | yes                         | • Double-walled:            | No                       |
| • ON/OFF switch:                   | Yes                         | • Properties:               | Surface strainer         |
| • Lye pump:                        | Yes                         | • Size:                     | W 590 x D 630 x H 840 mm |
| • Water softener:                  | No                          | • Weight:                   | 59.4 kg                  |
| • Clear rinsing dosing pump:       | Yes                         |                             |                          |
| • Door contact switch:             | Yes                         |                             |                          |
| • Safety thermostat:               | Yes                         |                             |                          |
| • Cleaning agent dosing pump:      | No                          |                             |                          |
| • Basket dimensions:               | 500 x 500 mm                |                             |                          |
| • Run-time:                        | 60 / 90 / 120 / 180 seconds |                             |                          |
| • Output / hour max.:              | 60 baskets                  |                             |                          |
| • Self-cleaning:                   | No                          |                             |                          |
| • Cold rinsing:                    | Yes                         |                             |                          |
| • Tank volume:                     | 29 litre(s)                 |                             |                          |
| • Water consumption at 2 bar:      | 2.3 litres / wash cycle     |                             |                          |
| • Water pressure:                  | 2 - 4 bar                   |                             |                          |
| • Water supply:                    | 3/4"                        |                             |                          |
| • Water outlet:                    | Ø 20 mm                     |                             |                          |

### Universal basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Glasses  
Cups
- Important information: -
- Inside height: 84 mm
- Material: Plastic
- Size: W 500 x D 500 x H 100 mm

Code-No. 5301  
GTIN 4015613653952

### Cutlery basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Cutlery
- Important information: -
- Inside height: 84 mm
- Material: Plastic
- Size: W 500 x D 500 x H 100 mm
- Weight: 1.4 kg

Code-No. 5302  
GTIN 4015613653969

### Plates basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Fingers
- Suitable for: Trays  
Plates
- Important information: -
- Material: Plastic
- Size: W 500 x D 500 x H 100 mm
- Weight: 1.4 kg

Code-No. 5303  
GTIN 4015613653976

### Cutlery holder, 8 compartments



- Stackable: Yes
- Number of shelves: 8
- Colour: Brown
- Design: Divided
- Suitable for: Cutlery
- Important information: -
- Basket size: 430 x 210 mm
- Material: Plastic
- Size: W 430 x D 210 x H 155 mm
- Weight: 0.55 kg

Code-No. 5305  
GTIN 4015613653990

### Rinsing agent F10L



- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Content: 10 litres
- Designed for: Commercial dishwashers  
Household dishwashers  
Combi steamer with rinsing program
- Application: Application concentrations: 0.2 - 0.4 g per litre of rinsing water depending on water hardness

Code-No. 173272  
GTIN 4015613767901

### Water softening system WEH1350



- Power load: 0,03 kW | 230 V | 50/60 Hz
- Digital display: Yes
- Water intake temperature from: 5 °C
- Water intake temperature to: 40 °C
- Setting possibilities: Interval  
Regeneration  
Language  
Time  
Water hardness
- Regeneration: Flow rate or time period
- Water connection: 3/4"

Code-No. 109889  
GTIN 4015613615158

### Glass polisher



- Number of polishing heads: 5
- Power load: 1,1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans  
Microfibre polishing scarves detachable
- Properties: -
- Including: -
- Material: Stainless steel  
Microfibre
- Important information: -
- ON/OFF switch: Yes
- Control lamp: -
- Size: W 340 x D 305 x H 520 mm

Code-No. 109470  
GTIN 4015613455624

### Dishwasher basket trolley ASP700



- Can be loaded from both sides: Yes
- Designed for: Dishwasher baskets 500 x 500 mm
- Worktop surface: No
- Properties: Frame in square tubing 25 x 25 mm  
One basket guard each on the front and back
- Including: -
- Model: Slots
- Application area: Clearing  
Storage
- Total load-bearing capacity, max.: 100 kg
- With handle(s): No

Code-No. 300147  
GTIN 4015613709178

### Dish-washing deterg. metering pump TG280



- Power load: 0,005 kW | 230 V | 50 Hz
- Colour: Blue
- Design: Fitted unit
- Volume flow: 0,28 L / hour to 2,8 L /hour
- Cleaning agent dosing: Cycle-controlled
- Material: Plastic
- Important information: -
- Including: 1 connection set  
Installation kit
- Size: W 69 x D 103 x H 62 mm
- Weight: 0.45 kg

Code-No. 109518  
GTIN 4015613432403

### Detergent metering pump LWG600




#### Benefits of a conductivity-controlled cleaning agent dosing pump

- ✓ Economic, needs-based consumption of cleaning agent by determining the conductivity in the rinsing water

- Power load: 0,004 kW | 230 V | 50/60 Hz
- Colour: Grey
- Design: Wall-mounting
- Volume flow: 0,1 L / hour to 6 L /hour
- Cleaning agent dosing: Setpoint controlled
- Including: 1 connection set

Code-No. 109547  
GTIN 4015613506517

### Pressure booster pump set DSS10



- Power load: 0,15 kW | 230 V | 50 Hz
- Important information: -
- Material: Plastic
- Properties: -
- Set comprises: 1 pump (W 100 x D 175 x H 110 mm, 1.5 A)  
1 condenser (W 35 x D 120 x H 35 mm)
- 6.3 µF): 1 hose, rubber  
Installation material
- Designed for: Dishwasher US E500 LPR  
Dishwasher US C500 LP

Code-No. 109562  
GTIN 4015613721279

### Water softening system WEH1600



- Power load: 0,006 kW | 230 V | 50/60 Hz
- Digital display: Yes
- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Regeneration: Time period
- Water connection: 3/4"
- Colour: White
- Output capacity: 1,600 litres / day at 10° d (total hardness)
- Material: Plastic
- Important information: -
- Connection capacity: 1 unit

Code-No. 109952  
GTIN 4015613797762