



- ▶ Basket dimensions: 500 x 500 mm
- ▶ Max. glass height: 320 mm
- ▶ Max. plate height: 345 mm



- ▶ Output/h: 60 baskets
- ▶ Cycle time: 60 / 90 / 120 / 180 seconds

- ▶ Dishwasher including:
 - ✓ Rinse aid dosing pump
 - ✓ Discharge pump
 - ✓ Detergent dosing pump
 - ✓ Cold rinse

- ▶ Direct overview of settings and washing program progress on a small display
- ▶ Quick reusability of washed items thanks to cold rinse
- ▶ We recommend a hot water connection up to 60 °C
- ▶ Flexible washing with 4 different wash programs

Thanks to this dishwasher with cold rinse function, glasses in particular are ready for reuse really quickly. It's also perfect for use for all other washing areas. The small display means that you can keep an eye on the settings and program progress at all times.

- | | | | |
|------------------------------------|-----------------------------|-----------------------------|--|
| • Plate height max.: | 345 mm | • Water intake temperature: | 5 °C to 60 °C |
| • Door double-walled: | Yes | • Number of wash programs: | 4 |
| • Can be fitted below the counter: | Yes | • Display: | yes |
| • Glasses height max.: | 320 mm | • Material: | Stainless steel |
| • Power load: | 5,15 kW 400 V 50 Hz | • Important information: | - |
| • Equipment connection: | 3 NAC | • Including: | 1 cutlery holder
1 universal basket
1 plate basket
1 water supply hose
1 water outlet hose |
| • Boiler heater: | 4,5 kW | • Double-walled: | No |
| • Tank heater: | 2,7 kW | • Properties: | Surface strainer |
| • Dry-run protection: | Yes | • Size: | W 590 x D 630 x H 840 mm |
| • Control lamp: | yes | • Weight: | 60.6 kg |
| • ON/OFF switch: | Yes | | |
| • Lye pump: | Yes | | |
| • Water softener: | No | | |
| • Clear rinsing dosing pump: | Yes | | |
| • Door contact switch: | Yes | | |
| • Safety thermostat: | Yes | | |
| • Cleaning agent dosing pump: | Yes | | |
| • Basket dimensions: | 500 x 500 mm | | |
| • Run-time: | 60 / 90 / 120 / 180 seconds | | |
| • Output / hour max.: | 60 baskets | | |
| • Self-cleaning: | No | | |
| • Cold rinsing: | Yes | | |
| • Tank volume: | 29 litre(s) | | |
| • Water consumption at 2 bar: | 2.3 litres / wash cycle | | |
| • Water pressure: | 2 - 4 bar | | |
| • Water supply: | 3/4" | | |
| • Water outlet: | Ø 20 mm | | |

Universal basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Glasses
Cups
- Important information: -
- Inside height: 84 mm
- Material: Plastic
- Size: W 500 x D 500 x H 100 mm

Code-No. 5301
GTIN 4015613653952

Cutlery basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Cutlery
- Important information: -
- Inside height: 84 mm
- Material: Plastic
- Size: W 500 x D 500 x H 100 mm
- Weight: 1.4 kg

Code-No. 5302
GTIN 4015613653969

Plates basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Fingers
- Suitable for: Trays
Plates
- Important information: -
- Material: Plastic
- Size: W 500 x D 500 x H 100 mm
- Weight: 1.4 kg

Code-No. 5303
GTIN 4015613653976

Cutlery holder, 8 compartments



- Stackable: Yes
- Number of shelves: 8
- Colour: Brown
- Design: Divided
- Suitable for: Cutlery
- Important information: -
- Basket size: 430 x 210 mm
- Material: Plastic
- Size: W 430 x D 210 x H 155 mm
- Weight: 0.55 kg

Code-No. 5305
GTIN 4015613653990

Rinsing agent F10L



- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Content: 10 litres
- Designed for: Commercial dishwashers
Household dishwashers
Combi steamer with rinsing program
- Application: Application concentrations: 0.2 - 0.4 g per litre of rinsing water depending on water hardness

Code-No. 173272
GTIN 4015613767901

Water softening system WEH1350



- Power load: 0,03 kW | 230 V | 50/60 Hz
- Digital display: Yes
- Water intake temperature from: 5 °C
- Water intake temperature to: 40 °C
- Setting possibilities: Interval
Regeneration
Language
Time
Water hardness
- Regeneration: Flow rate or time period
- Water connection: 3/4"

Code-No. 109889
GTIN 4015613615158

Glass polisher



- Number of polishing heads: 5
- Power load: 1,1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
Microfibre polishing scarves detachable
- Properties: -
- Including: -
- Material: Stainless steel
Microfibre
- Important information: -
- ON/OFF switch: Yes
- Control lamp: -
- Size: W 340 x D 305 x H 520 mm

Code-No. 109470
GTIN 4015613455624


Dishwasher basket trolley ASP700



- Can be loaded from both sides: Yes
- Designed for: Dishwasher baskets 500 x 500 mm
- Worktop surface: No
- Properties: Frame in square tubing 25 x 25 mm
One basket guard each on the front and back
- Including: -
- Model: Slots
- Application area: Clearing
Storage
- Total load-bearing capacity, max.: 100 kg
- With handle(s): No

Code-No. 300147
GTIN 4015613709178

Pressure booster pump set DSS10



- Power load: 0,15 kW | 230 V | 50 Hz
- Important information: -
- Material: Plastic
- Properties: -
- Set comprises: 1 pump (W 100 x D 175 x H 110 mm, 1.5 A)
1 condenser (W 35 x D 120 x H 35 mm)
- 6.3 µF):
- Set comprises: 1 hose, rubber
Installation material
- Designed for: Dishwasher US E500 LPR
Dishwasher US C500 LP

Code-No. 109562
GTIN 4015613721279

Water softening system WEH1600



- Power load: 0,006 kW | 230 V | 50/60 Hz
- Digital display: Yes
- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Regeneration: Time period
- Water connection: 3/4"
- Colour: White
- Output capacity: 1,600 litres / day at 10° d (total hardness)
- Material: Plastic
- Important information: -
- Connection capacity: 1 unit

Code-No. 109952
GTIN 4015613797762