




- ▶ Dishwasher with thermal disinfection
- ✓ Rinse cycle with cycle time of 600 seconds
- ✓ Tank temperature: 65°C
- ✓ Boiler temperature: 87°C



- ▶ Output/h: Up to 60 baskets
- ▶ Cycle time: 60 / 90 / 120 / 180 / 360 / 600 seconds



- ▶ Tank volume: 10 litres

- ▶ Tank heating: 1.1 kW
- ▶ Boiler heating: 6 kW

- ▶ Easy to operate via colour display
- ▶ Saving consumption of resources



- ▶ We recommend a warm water connection

An economical model with top hygiene standards: The thermal disinfection meets hygiene standards and leaves behind perfectly clean, germ-free crockery. The integrated rinse pump ensures constant washing results and reduces the consumption of water, energy, detergent and rinsing agent.

- | | |
|---|--|
| <ul style="list-style-type: none"> ✓ Plate height max.: 340 mm • Door double-walled: Yes • Can be fitted below the counter: Yes • Glasses height max.: 340 mm • Power load: 6,65 kW 400 V 50 Hz • Equipment connection: 3 NAC • Boiler heater: 6 kW • Tank heater: 1,1 kW • Control lamp: ON/OFF Start/Stop • Lye pump: Yes • Water softener: No • Clear rinsing dosing pump: Yes • Door contact switch: Yes • Safety thermostat: Yes • Cleaning agent dosing pump: Yes • Basket dimensions: 500 x 500 mm • Output / hour max.: 60 baskets • Self-cleaning: Yes • Cold rinsing: No • Double-walled: Yes • Tank volume: 10 litre(s) • Water pressure: 2 - 4 bar • Water supply: G 3/4" M • Water outlet: Ø 24 mm • Including: 1 universal basket (W 500 x D 500 x H 105 mm)
1 plate basket (W 500 x D 500 x H 105 mm) | <ul style="list-style-type: none"> • Including: 1 cutlery basket (Ø 120 mm, H 120 mm)
1 supply hose
1 drainage hose • Important information: - • Display: 9 languages
Tank temperature and status
Boiler temperature and status
Programme code and name
Colour display, 2.8 inch
CNS 18/10 • Material: - • Tray size max.: 530 x 325 mm • Run-time: 60 / 90 / 120 / 180 / 360 / 600 seconds • Number of wash programmes: 7 preset programmes
1 configurable programme • Water intake temperature: 10 °C to 55 °C • Dry-run protection: Yes • ON/OFF switch: Yes • Water consumption at 2 bar: 3.5 litres / wash cycle • Properties: Thermal disinfection in accordance with DIN 10512, Spec 10534
Thermal stop with energy saving system
Multi-lingual control menu
Self-diagnosis system
Spring-action door
Surface strainer
Rinse pump with break tank |
|---|--|

Universal basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Glasses
Cups
- Important information: -
- Inside height: 84 mm
- Material: Plastic
- Size: W 500 x D 500 x H 100 mm

Code-No. 5301
GTIN 4015613653952

Cutlery basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Cutlery
- Important information: -
- Inside height: 84 mm
- Material: Plastic
- Size: W 500 x D 500 x H 100 mm
- Weight: 1.4 kg

Code-No. 5302
GTIN 4015613653969

Plates basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Fingers
- Suitable for: Trays
Plates
- Important information: -
- Material: Plastic
- Size: W 500 x D 500 x H 100 mm
- Weight: 1.4 kg

Code-No. 5303
GTIN 4015613653976

Cutlery holder, 8 compartments



- Stackable: Yes
- Number of shelves: 8
- Colour: Brown
- Design: Divided
- Suitable for: Cutlery
- Important information: -
- Basket size: 430 x 210 mm
- Material: Plastic
- Size: W 430 x D 210 x H 155 mm
- Weight: 0.55 kg

Code-No. 5305
GTIN 4015613653990

Rinsing agent F10kg



- Designed for: Commercial dishwashers
Household dishwashers
Combined steamer
- Model: Liquid
- Ph level: 2,1
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Important information: Keep out of the reach of children!
Exclusively available in Germany and Austria
Safety data sheet available on request

Code-No. 173072
GTIN 4015613731865

Water softening system WEH1600



- Power load: 0,006 kW | 230 V | 50/60 Hz
- Digital display: Yes
- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Regeneration: Time period
- Water connection: 3/4"
- Colour: White
- Output capacity: 1,600 litres / day at 10° d (total hardness)
- Material: Plastic
- Important information: -
- Connection capacity: 1 unit

Code-No. 109952
GTIN 4015613797762