



Series 650 - a range of cooking equipment for the professional kitchen. The series is defined by optimum energy use, powerful appliances, and ease of cleaning. The modular design means that the appliances are easy to combine and can be arranged flexibly. The appliance structure consists entirely of 18/10 stainless steel.

· Heating zones can be controlled separately:

7,8 kW | 400 V | 50/60 Hz • Power load:

• Equipment connection: 3 NAC • Type: Table-top unit Number of heating zo-

nes: · Material roasting sur-

face:

W 596 x D 555 mm • Size heating surpface:

· Roasting surface de-Smooth sign:

· Including: • Operating mode:

Electro • Material: CNS 18/10

• Important information:

Series: 650 Heat up · Control lamp: 50 °C to 300 °C • Temperature range:

• Safety thermostat:

Grease collection tank • Properties: Splash protection

W 600 x D 650 x H 295 mm • Size:

• Weight: 51 kg







Griddle plate 650, W600, smooth

Add on Products

Combi-Scraper



· Properties: • Designed for:

• Important information:

• Material:

• Size: • Weight: Replaceable blade Steel plates Grilles

Plastic Aluminium

W 110 x D 210 x H 30 mm

0.2 kg

Power cleaner F1L, set of 2



• Designed for: Stubborn dirt, especially in kitchens

Grill and combi steamer cleaning (without

cleaning system)

• Content: 2 x 1 litre • Model:

Liquid

High concentrate • Ph level: 13,5

• HACCP compliant: Yes • Chlorine-free: Yes • Phosphate-free: Yes

Intensive power cleaner F1L, set of 2



• Order quantity unit:

1 box (2 bottles)

Content:

2 x 1 litre

• Ph level:

14

• HACCP compliant:

Yes

• Chlorine-free:

Yes

· Phosphate-free: · Including:

1 spray head 1 spray lance

• Important information:

Attention: Not suitable for surfaces sensitive to

alkali such aluminium

Exclusively available in Germany and Austria

Code-No. 173080

Sealing plug f. fat drain oval



Material:

Plastic

• Important information:

Heat resistant

• Size:

W 70 x D 118 x H 90 mm

• Weight:

0.14 kg



Griddle plate 650, W600, smooth

Add on Products

Open base unit, 650, W600, SS

CNS 18/10



Open

CNS 18/10

560 mm to 660 mm

· Sub-counter unit type:

Material:

• Important information:

· Height adjustable:

• Height-adjustable feet:

• Series:

• Size:

W 600 x D 535 x H 560 mm

· Weight:

Device linking strip 650



• Important information:

• Weight:

W 20 x D 575 x H 8 mm

0.17 kg

Stainl.steel polish.spray 500ml can



Content / can:

500 ml

· Application:

Remove heavy soiling such as grease residue

• allow them to cool down first:

· Application:

Before use, bring the can to room temperature and shake well

Spray sparingly onto the surfaces to be cleaned

Rub evenly over the entire surface Polish with a dry cloth

Do not spray onto hot surfaces

Code-No. 173031

Intensive power cleaner F1L



• Order quantity unit:

• Content:

Model:

• HACCP compliant:

• Chlorine-free:

• Phosphate-free:

• Designed for:

1 box (6 bottles)

6 x 1 litre

Liquid Yes

Yes

Use in kitchens and food processing areas

Grill, oven and combi steamer cleaning (wi-

thout cleaning system)

Cookers, extractor hoods, tilting frying pans

Code-No. 173280



Griddle plate 650, W600, smooth

Add on Products

Flue 650-60	
Important information: Material:	- Stainless steel
• Size: • Weight:	W 600 x D 55 x H 382 mm 2.8 kg
vveigitt.	2.0 kg
	Code-No. 158618
	GTIN 4015613822327