



Series 650 - a range of cooking equipment for the professional kitchen. The series is defined by optimum energy use, powerful appliances, and ease of cleaning. The modular design means that the appliances are easy to combine and can be arranged flexibly. The appliance structure consists entirely of 18/10 stainless steel.

- Connected load oven: 4.2 kW | 400 V | 3 NAC
- Temperature range: 110 °C to 280 °C
- Oven functions: Circulating air
- Distribution of hobs: 2 x 3.5 kW, 2 x 5.5 kW
- Oven type: Electro
- Size oven: W 570 x D 490 x H 295 mm
- Multifunctional oven: No
- Type: Upright unit
- Number of hobs: 4
- Type of hobs: Gas
- Gastronorm: 1/1 GN
- Including: 1 grille
1 baking tray
- Operating mode: Electro / gas
- Material: CNS 18/10
- Important information: -
- Pilot flame: Yes
- Frequency: 50/60 Hz
- Power: 18 kW
- Gas type: Liquid gas (50 mbar)
Natural gas nozzles H (20 mbar)
and L (20 mbar) are enclosed
- Series: 650
- Size: W 700 x D 650 x H 870 mm
- Weight: 71.8 kg

Gas stove 650, W700, 4BR, eLO

Add on Products

Baking tray series 650

- Important information: -
- Size: W 530 x D 490 x H 35 mm
- Weight: 2.2 kg

Code-No. 115805
GTIN 4015613559339

Backing spray 500ml



- Content / can: 500 ml
- Material: 100 % vegetable oils
- Designed for: Greasing forms, baking trays, pans and waffle irons
- Important information: -
- Order quantity unit: 2 boxes (1 box of 6 cans)
- Size: W 65 x D 65 x H 240 mm
- Weight: 0.37 kg

Code-No. 173060
GTIN 4015613498508

Thermometer D3000 KTP

STAINLESS
STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens, Refrigeration cell, Freezer cell, Refrigerated rooms
- Temperature range: -50 °C to 300 °C
- Design: Digital
- With temperature sensor: Yes
- Designed for: Core temperature measurements

Code-No. 293043
GTIN 4015613664255

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens, Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid, High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such as aluminium
Exclusively available in Germany and Austria

Code-No. 173080
GTIN 4015613731933

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 200 x D 300 x H 35 mm
- Weight: 0.23 kg

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 220 x D 370 x H 35 mm
- Weight: 0.28 kg

Code-No. A500511
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 235 x D 420 x H 35 mm
- Weight: 0.36 kg

Code-No. A500512
GTIN 4015613735481

Oven gloves 600



- **Properties:** With flame protection
With hanger
Fabric density: 640 g/m²
- **Colour:** Black
- **Can be washed:** No
- **Heat resistant to:** 250 °C
- **Length:** 600 mm
- **Material:** Cotton 100 % (exterior)
- **Important information:** Do not wash to maintain flame protection
- **Size:** W 230 x D 600 x H 35 mm
- **Weight:** 0.51 kg

Code-No. A500513
GTIN 4015613735498


Perforated tray 1/1-SI



- **Diameter perforation:** 3 mm
- **Important information:** -
- **Material:** Aluminium
- **Gastronorm:** 1/1 GN
- **Silicone coating:** Yes
- **Material thickness:** 1,5 mm
- **Perforation:** Yes
- **Temperature resistant to:** 260 °C
- **Edge:** 4 sides, cover
- **Size:** W 530 x D 325 x H 10 mm
- **Weight:** 0.55 kg

Code-No. 100428
GTIN 4015613734767

Perforated tray 1/1-AL



- **Diameter perforation:** 3 mm
- **Gastronorm:** 1/1 GN
- **Silicone coating:** No
- **Material thickness:** 1,5 mm
- **Perforation:** Yes
- **Temperature resistant to:** 260 °C
- **Material:** Aluminium
- **Important information:** -
- **Edge:** 4 sides, cover
- **Size:** W 530 x D 325 x H 10 mm
- **Weight:** 0.49 kg

Code-No. 100427
GTIN 4015613734750

Baking tray 1/1-AL



- **Gastronorm:** 1/1 GN
- **Edge:** 4 sides, cover
- **Silicone coating:** No
- **Material thickness:** 1,5 mm
- **Perforation:** No
- **Temperature resistant to:** 260 °C
- **Material:** Aluminium
- **Important information:** -
- **Size:** W 530 x D 325 x H 10 mm
- **Weight:** 0.69 kg

Code-No. 100426
GTIN 4015613734743

Cookware set T4

CNS
18/10



- Set comprises: 4 pots with a lid
Pot 1: contents 8 litres, Ø surface 24 cm, height 20 cm
Pot 2: contents 9 litres, Ø surface 26 cm, height 20.5 cm
Pot 3: contents 13 litres, Ø surface 28 cm, height 22.5 cm
Pot 4: contents 15 litres, Ø surface 30 cm, height 25 cm
- Handle properties: Cold handle(s)
- Induction-suitable: Yes

Code-No. A130441
GTIN 4015613403977

Device linking strip 650



- Important information: -
- Size: W 20 x D 575 x H 8 mm
- Weight: 0.17 kg

Code-No. 110036
GTIN 4015613215785

Thermometer A1020 KTP

STAINLESS
STEEL



- Control unit: -
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -20 °C to 102 °C
- Design: Analogue
- With temperature sensor: Yes
- Designed for: Core temperature measurements

Code-No. 292044
GTIN 4015613664293

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas
Grill, oven and combi steamer cleaning (without cleaning system)
Cookers, extractor hoods, tilting frying pans etc.

Code-No. 173280
GTIN 4015613761183