



Series 650 - a range of cooking equipment for the professional kitchen. The series is defined by optimum energy use, powerful appliances, and ease of cleaning. The modular design means that the appliances are easy to combine and can be arranged flexibly. The appliance structure consists entirely of 18/10 stainless steel.

 Heating zones can be controlled separately:

• Power load: 7,8 kW | 400 V | 50/60 Hz

Equipment connection: 3 NAC
 Type: Table-top unit
 Number of heating zo- 2

nes:
• Material roasting sur-

face:

Size heating surpface: W 596 x D 555 mm
 Roasting surface de 1/2 smooth, 1/2 ribbed

sign:

Including:

 Operating mode:
 Material:
 CNS 18/10

• Important information: -

• Series: 650

• Temperature range: 50 °C to 300 °C

Safety thermostat: Yes
 Control lamp: Heat up

• Properties: Grease collection tank Splash protection

• Size: W 600 x D 650 x H 295 mm

• Weight: 51 kg





# Griddle plate 650, W600, 1/2-1/2

Add on Products

### Combi-Scraper



· Properties: • Designed for:

• Important information:

• Material:

• Size:

• Weight:

Replaceable blade Steel plates Grilles

Plastic Aluminium

W 110 x D 210 x H 30 mm

0.2 kg

## Power cleaner F1L, set of 2



• Designed for: Stubborn dirt, especially in kitchens

Grill and combi steamer cleaning (without

cleaning system)

• Content: 2 x 1 litre • Model:

Liquid High concentrate

• Ph level: 13,5 • HACCP compliant: Yes • Chlorine-free: Yes

• Phosphate-free: Yes

#### Intensive power cleaner F1L, set of 2



• Order quantity unit:

1 box (2 bottles)

Content: • Ph level:

2 x 1 litre

• HACCP compliant:

14

• Chlorine-free:

Yes

· Phosphate-free:

Yes

· Including:

1 spray head

• Important information:

1 spray lance

Attention: Not suitable for surfaces sensitive to

alkali such aluminium

Exclusively available in Germany and Austria

Code-No. 173080

### Sealing plug f. fat drain oval



Material:

Plastic

• Important information:

Heat resistant

• Size:

W 70 x D 118 x H 90 mm

• Weight:

0.14 kg



# Griddle plate 650, W600, 1/2-1/2

Add on Products

### Open base unit, 650, W600, SS

CNS 18/10



· Sub-counter unit type:

Material:

• Important information:

· Height adjustable:

• Height-adjustable feet:

• Series:

• Size:

· Weight:

Open

CNS 18/10

560 mm to 660 mm

W 600 x D 535 x H 560 mm

### Device linking strip 650



• Important information:

• Weight:

W 20 x D 575 x H 8 mm

0.17 kg

### Stainl.steel polish.spray 500ml can



Content / can:

· Application:

500 ml

Remove heavy soiling such as grease residue

Do not spray onto hot surfaces

• allow them to cool down first:

· Application:

Before use, bring the can to room temperature and shake well

Spray sparingly onto the surfaces to be cleaned

Rub evenly over the entire surface Polish with a dry cloth

Code-No. 173031

#### Intensive power cleaner F1L



• Order quantity unit:

• Content:

Model:

• HACCP compliant:

• Chlorine-free:

• Phosphate-free:

• Designed for:

1 box (6 bottles)

6 x 1 litre Liquid

Yes

Yes

Use in kitchens and food processing areas

Grill, oven and combi steamer cleaning (wi-

thout cleaning system)

Cookers, extractor hoods, tilting frying pans

Code-No. 173280



# Griddle plate 650, W600, 1/2-1/2

Add on Products

Flue 650-60	
Important information:	
Material:     Size:	Stainless steel W 600 x D 55 x H 382 mm
• Weight:	2.8 kg
	Code-No. 158618 GTIN 4015613822327