



▶ Up to 10 x 1/1 GN



▶ Rack control

✓ To enable the selection of a program for each shelf



▶ Electronic control with 99 programs, each program with up to 9 cooking phases

▶ Double door glazing, inner door can be opened easily for cleaning



▶ Vapour extractor is easy to regulate

▶ Removable support rails



▶ 3 air speed settings

▶ From a water hardness of 5° dH (89 ppm CaCO₃), we expressly recommend using a suitable upstream water softener and keeping the water pressure to max. 3 bar.

Thanks to the lengthwise shelves, the Silversteam-K 10110D is particularly compact, so perfect for even the smallest of kitchens. With intuitive digital controls, a rack control function and good air circulation, it can be used to steam, poach or bake foods in 1/1 GN containers.

<ul style="list-style-type: none"> ✓ Power load: 13,8 kW 400 V 50/60 Hz • Equipment connection: 3 NAC • Temperature range: 50 °C to 300 °C • Control unit: Touch • Functions: Circulating air Steam Combi-steaming Low temperature cooking Delta-T cooking Reversing motor direction (fan wheels) Steam production by means of direct injection • Rack control: Yes • Continuous operation: Yes • Vapour extractor: Yes • Core temperature sensor connection: Below cooking chamber • USB connection: Frontal • Fan speed: 3 levels • Number of cooking programs: 300 pre-installed programs 300 configurable programs • Number of cooking phases: 9 • Type of drawers: Longitudinal • Water connection: 3/4" • Time adjustment: 0 to 599 minutes • Material cooking chamber: CNS 18/10 • Number of fans: 2 • Properties: Rounded baking chamber Bearing rails can be detached 	<ul style="list-style-type: none"> • Properties: Double-winged door pane LED lighting in door Steaming Delta-T cooking Cooking phases Core temperature Fan speed Program Temperature Time • LED display: • Including: 1 grille 1/1 GN 1 tray 1/1 GN 1 PVC drainpipe 1 replacement air filter 1 water supply hose • Available on request: Combi steamer with door hinge on left • Control lamp: - • Series: Silversteam-K • Temperature control: Stepless • Interior lighting: Yes • Format drawers: 1/1 GN • Operating mode: Electro • With cleaning system: No • Material: CNS 18/10 • Important information: From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar • Number of drawers: 10
---	---

Combi steamer Silversteam-K 10110D

Add on Products

Base unit Silversteam-K

CNS



- Height-adjustable feet: Yes
- Base shelf: No
- Material: Chrome-nickel steel
- Colour: Silver
- Type of drawers: Longitudinal
- Number of drawers: 5
- Height adjustable: 735 mm to 780 mm
- Format drawers: 1/1 GN
- Important information: -
- Size: W 550 x D 700 x H 741 mm
- Weight: 14.2 kg

Code-No. 115076
GTIN 4015613627090

Core temperature sensor f. steamer

- Size: W 175 x D 25 x H 270 mm
- Weight: 0.09 kg

Code-No. 116110
GTIN 4015613818030

Core temperature sensor set 3KA




- Set comprises: 1 core temperature sensor
1 holder
- Length cable: 1,9 m
- Puncture depth: 80 mm
- Material: Chrome-nickel steel
Plastic
- Diameter temperature sensor: 3 mm
- Important information: -
- Material temperature sensor: Chrome-nickel steel
- Designed for: Combi steamers series Silversteam K
- Size: W 175 x D 25 x H 270 mm

Code-No. 116111
GTIN 4015613818047

Connection kit Silversteam-K

STAINLESS
STEEL



- Size frame: W 525 x D 735 x H 75 mm
- Combination possibilities: 6 x 1/1 GN to 6 x 1/1 GN
6 x 1/1 GN to 10 x 1/1 GN
- Material: Stainless steel
- Important information: -
- Set comprises: 1 frame
4 feet
1 pipe and holding plate for vapour extraction
1 connection hose
Attachment circlips
Screws

Code-No. 117100
GTIN 4015613632452

Combi steamer Silversteam-K 10110D

Add on Products

Hand shower f. combi steamer



- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Important information: -
- Water connection: 1/2"
- Material: Plastic
Metal
- Size: W 2,160 x D 75 x H 30 mm
- Weight: 1 kg

Code-No. 116005
GTIN 4015613587189

Pressure regulator for steamers



- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar
- Material: Brass
Chrome-plated
- Important information: -
- Size: W 95 x D 75 x H 50 mm
- Weight: 0.4 kg

Code-No. 533051
GTIN 4015613468617

Condensation hood Silversteam-K



STAINLESS
STEEL



- Fan regulation: Automatrix, sensor-controlled
- Power load: 0,3 kW | 230 V | 50/60 Hz
- Available on request: -
- Material filter: Stainless steel
- Including: Drain hose, 320 mm
- Lamps (number + watt): -
- Material: Stainless steel
- Important information: -
- Properties: -
- Assembly type: Wall
- Size: W 520 x D 1,040 x H 300 mm

Code-No. 117002
GTIN 4015613671031

GN-container, 1/1GN,D20, Basic Line

CNS



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Basic Line
- Material: Chrome-nickel steel
- Content: 3,4 litre(s)
- Important information: -

Code-No. 711020
GTIN 4015613695556

Combi steamer Silversteam-K 10110D

Add on Products

GN-container, 1/1GN,D65, Basic Line

CNS



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 65 mm
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Basic Line
- Material: Chrome-nickel steel
- Size: W 530 x D 325 x H 65 mm

Code-No. 711065
GTIN 4015613695587

GN-container, 1/1GN,D100, Basic Line

CNS



- Content: 14 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Basic Line
- Material: Chrome-nickel steel
- Size: W 530 x D 325 x H 100 mm

Code-No. 711100
GTIN 4015613695594

GN container, 1/1, D20

CNS
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Important information: -
- Material: CNS 18/10

Code-No. A121025
GTIN 4016098166722

GN container, 1/1, D65

CNS
18/10



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A121065
GTIN 4016098162755

GN container, 1/1, D100

CNS
18/10



- Content: 14 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A121100
GTIN 4016098162762


Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.69 kg

Code-No. 100426
GTIN 4015613734743


Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.49 kg

Code-No. 100427
GTIN 4015613734750

Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.55 kg

Code-No. 100428
GTIN 4015613734767

Combi steamer Silversteam-K 10110D

Add on Products

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Manual cleaning of heavily soiled surfaces
Grill, oven and combi steamer cleaning (without cleaning system)
Cookers, extractor hoods, tilting frying pans etc.

Code-No. 173278
GTIN 4015613767918

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas
Grill, oven and combi steamer cleaning (without cleaning system)
Cookers, extractor hoods, tilting frying pans etc.

Code-No. 173280
GTIN 4015613761183

Smoker-Box 1160



- Comprising: Mains adapter
Smoker-Box
- Volume: 1,16 litre(s)
- Dimensions Smoker-Box: W 125 x D 470 x H 75 mm
- Suitable fuel: Standard smoker materials
- ON/OFF switch: Yes
- Power load: 0,2 kW | 230 V | 50/60 Hz
- Material: Stainless steel
- Control lamp: Operational
Heating
- Designed for: Combined steamer

Code-No. 117712
GTIN 4015613779195

Cooking basket 110



- Gastronorm: 1/1 GN
- Size basket: W 490 x D 275 x H 50 mm
- Content: 7 litre(s)
- Material: Stainless steel
- Important information: -
- Size: W 536 x D 326 x H 61 mm
- Weight: 1.1 kg

Code-No. 900300
GTIN 4015613788111