



▶ Up to 5 x 2/3 GN



▶ Rack control

✓ To enable the selection of a program for each shelf



▶ Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program



▶ Double door glazing, inner door can be opened easily for cleaning



▶ Vapour extractor is easy to regulate

▶ Bearing rails can be detached



▶ 3 fan speed settings

The Bartscher combi steamer from the Silversteam series has electronic controls and 5 shelves in GN 2/3 format – it's the ideal partner for every kitchen. Diverse meals can be prepared with different timing using the rack control function. Simple cooking with the Silversteam keeping an eye on everything for you.

- ✓ Power load: 3,3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 50 °C to 300 °C
- Control unit: Touch
- Functions: Circulating air  
Steam  
Combi-steaming  
Low temperature cooking  
Delta-T cooking  
Reversing motor direction (fan wheels)  
Steam production by means of direct injection
- Rack control: Yes
- Continuous operation: Yes
- Vapour extractor: Yes
- Core temperature sensor connection: Side
- USB connection: Side
- Fan speed: 3 levels
- Type of drawers: Crosswise
- Number of drawers: 5
- Distance between trays: 74 mm
- Water connection: 3/4"
- Time adjustment: 0 to 599 minutes
- Number of fans: 1
- Properties: Rounded baking chamber  
Bearing rails can be detached  
Double-winged door pane  
LED lighting in door  
Pluggable
- LED display: Steaming  
Delta-T cooking  
Cooking phases  
Core temperature  
Fan speed  
Program  
Temperature  
Time
- Available on request: -
- Control lamp: -
- Series: Silversteam
- Temperature control: Stepless
- Interior lighting: Yes
- Format drawers: 2/3 GN
- Operating mode: Electro
- With cleaning system: No
- Material: CNS 18/10
- Important information: From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar  
CNS 18/10
- Material cooking chamber: -
- Including: 1 grille 2/3 GN  
1 tray 2/3 GN  
1 water supply hose  
9
- Number of cooking phases: -
- Number of cooking programs: 300 pre-installed programs  
300 configurable programs
- Size: W 620 x D 775 x H 675 mm

# Combi steamer Silversteam 5230D

## Add on Products

### Base unit Silversteam 230

CNS



- Height-adjustable feet: No
- Base shelf: Yes
- Material: Chrome-nickel steel
- Colour: Silver
- Important information: -
- Size: W 570 x D 515 x H 741 mm
- Weight: 10.6 kg

Code-No. 115075  
GTIN 4015613610641

### Core temperature sensor set 1KA

STAINLESS STEEL



- Set comprises: 1 core temperature sensor  
1 holder
- Length cable: 1,8 m
- Material temperature sensor: Stainless steel
- Important information: -
- Designed for: Combi steamers series Silversteam
- Size: W 180 x D 265 x H 25 mm
- Weight: 0.57 kg

Code-No. 116009  
GTIN 4015613595139

### Pump set f. combi steamer



- Set comprises: 1 plastic canister (5 litres)  
1 pump  
1 supply hose: canister - pump (150 cm)  
1 supply hose: pump - steaming pipe (80 cm)  
Installation material
- Important information: -
- Material: Plastic  
Metal
- Size: W 325 x D 260 x H 140 mm
- Weight: 0.98 kg

Code-No. 116011  
GTIN 4015613595146

### Hand shower f. combi steamer



- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Important information: -
- Water connection: 1/2"
- Material: Plastic  
Metal
- Size: W 2,160 x D 75 x H 30 mm
- Weight: 1 kg

Code-No. 116005  
GTIN 4015613587189

# Combi steamer Silversteam 5230D

## Add on Products

### GN container, 2/3, D65

CNS  
18/10



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm
- Gastronorm: 2/3 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A125065  
GTIN 4015613271217

### GN container, 2/3, D100

CNS  
18/10



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm
- Gastronorm: 2/3 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A125100  
GTIN 4015613271224

### GN container, 2/3, D65, perforated

CNS  
18/10



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: With perforation (holes)
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm
- Gastronorm: 2/3 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A103065  
GTIN 4015613278940

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078  
GTIN 4015613731926

# Combi steamer Silversteam 5230D

## Add on Products

### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head  
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such as aluminium  
Exclusively available in Germany and Austria

Code-No. 173080  
GTIN 4015613731933

### Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Manual cleaning of heavily soiled surfaces  
Grill, oven and combi steamer cleaning (without cleaning system)  
Cookers, extractor hoods, tilting frying pans etc.

Code-No. 173278  
GTIN 4015613767918

### Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas  
Grill, oven and combi steamer cleaning (without cleaning system)  
Cookers, extractor hoods, tilting frying pans etc.

Code-No. 173280  
GTIN 4015613761183