



More efficiency and greater time savings with the combi steamer Silversteam P 5 x GN 2/3 thanks to added extra power. Thanks to the high power and the rack control function, the cooking spaces can be used to full capacity. Reduced cooking times, faster heating times, easy handling, and the cleaning system speak for themselves.

- ✓ Power load:
- · Temperature range:
- · Control unit:
- Functions:

4,8 kW | 400 V | 50 Hz

50 °C to 300 °C

Touch

Circulating air

Steam

Combi-steaming

Low temperature cooking

Delta-T cooking

Reversing motor direction (fan

wheels)

Steam production by means of

direct injection

Automatic 3-level cleaning system with drying program

· Rack control:

· Continuous operation: Yes · Vapour extractor: Yes

• Equipment connection: 3 NAC · Core temperature sen-Side

sor connection:

· USB connection:

· Fan speed:

• Type of drawers: · Number of drawers:

Distance between

Water connection:

• Time adjustment: 0 to 599 minutes

· Number of fans:

· LED display:

3/4"

Side

3 levels

74 mm

Crosswise

Steaming Delta-T cooking

Cooking phases

· LED display:

Fan speed Program

· Available on request:

· Control lamp:

Series:

• Temperature control: · Interior lighting:

· Format drawers: · Operating mode:

• With cleaning system:

· Material:

· Important information:

 Material cooking chamber:

· Including:

· Number of cooking phases: Number of cooking

programs: • Properties: Core temperature

Temperature Time

Silversteam

Stepless

Yes 2/3 GN Electro

CNS 18/10

From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar

CNS 18/10

1 grille 2/3 GN 1 tray 2/3 GN

1 water supply hose 1 supply hose for cleaning agents

300 pre-installed programs 300 configurable programs Rounded baking chamber Bearing rails can be detached

- Combi steamer Silversteam P
 - High power
 - ✓ Up to 5 x GN 2/3

Automatic 3-level cleaning system with drying program



- Rack control
 - ✓ To enable the selection of a program for each shelf



- ► The benefits of the Silversteam series
- ✓ Faster heating and reheating times
- ✓ Up to 33% reduction in cooking times
- ✓ Ideal for cooking spaces used to full capacity

Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program



- Double door glazing, inner door can be opened easily for cleaning
- Vapour extractor is easy to regulate
- Bearing rails can be detached
- 3 fan speed settings













Add on Products

Base unit Silversteam 230

CNS



Chrome-nickel steel

W 570 x D 515 x H 741 mm

No

Silver

• Height-adjustable feet:

Base shelf:

 Material: · Colour:

• Important information:

• Size:

• Weight: 10.6 kg

Core temperature sensor set 1KA

STAINLESS STEEL



• Set comprises:

1 core temperature sensor

1 holder 1.8 m

• Length cable: • Material temperature sensor:

Stainless steel

• Important information:

• Designed for:

Combi steamers series Silversteam W 180 x D 265 x H 25 mm

• Size:

• Weight:

0.57 kg

Pump set f. combi steamer



• Set comprises:

1 plastic canister (5 litres)

1 supply hose: canister - pump (150 cm)

1 supply hose: pump - steaming pipe (80 cm)

Installation material

• Important information:

Material:

Plastic

Metal • Size:

· Weight:

W 325 x D 260 x H 140 mm 0.98 kg

Hand shower f. combi steamer



• Length hose:

• Properties:

• Including:

Shutoff valve for fixed connection to water supply 1/2"

1 holder

• Important information:

1/2"

 Water connection: • Material:

Plastic

Metal

• Size:

W 2,160 x D 75 x H 30 mm 1 kg

• Weight:



Add on Products

GN container, 2/3, D65



5,5 litre(s)

· Content: Stackable:

• Design: No perforation • Reinforced edge:

• Properties:

• Surface: High-gloss • Depth container: 65 mm • Gastronorm: 2/3 GN Norm: EN 631 Series: Top Line

• Important information:

GN container, 2/3, D100



• Content: 9 litre(s) • Stackable:

No perforation • Design: • Reinforced edge:

• Properties:

• Surface: High-gloss • Depth container: 100 mm 2/3 GN • Gastronorm: • Norm: EN 631 · Series: Top Line

• Important information:

GN container, 2/3, D65, perforated



· Content: 5,5 litre(s) Stackable:

• Design: With perforation (holes) No

· Reinforced edge: Properties:

Surface: High-gloss • Depth container: 65 mm • Gastronorm: 2/3 GN • Norm: EN 631 Series: Top Line • Important information:

Code-No. A103065

Power cleaner F1L, set of 2



• Designed for: Stubborn dirt, especially in kitchens

Grill and combi steamer cleaning (without

cleaning system)

· Content: 2 x 1 litre • Model: Liquid

High concentrate 13,5

• Ph level: • HACCP compliant: Yes • Chlorine-free: Yes · Phosphate-free: Yes



Add on Products

Intensive power cleaner F1L, set of 2



• Order quantity unit: 1 box (2 bottles) • Content: 2 x 1 litre • Ph level:

• HACCP compliant: Yes • Chlorine-free: Yes · Phosphate-free:

· Including: 1 spray head 1 spray lance

• Important information: Attention: Not suitable for surfaces sensitive to

14

alkali such aluminium

Exclusively available in Germany and Austria

Combi steamer cleaner RS-5L



• Order quantity unit: 1 canister

• Designed for: Combi steamers with an automatic dosing sys-

tem • Ph level: • HACCP compliant: Nο • Chlorine-free: Yes • Phosphate-free: Nο

· Application: De-greasing cncentrati for self-cleaning combi

· Properties: Gentle material cleaning Important information: For professional use only

Smoker-Box 1160



• Comprising: Mains adapter Smoker-Box

· Volume: 1.16 litre(s)

• Dimensions Smoker-Box: W 125 x D 470 x H 75 mm • Suitable fuel: Standard smoker materials

• ON/OFF switch:

• Power load: 0,2 kW | 230 V | 50/60 Hz

• Material: Stainless steel · Control lamp: Operational Heating • Designed for: Combined steamer

Code-No. 117712

Cooking basket 110



• Gastronorm: 1/1 GN

W 490 x D 275 x H 50 mm • Size basket:

• Content: 7 litre(s) · Material: Stainless steel

• Important information:

W 536 x D 326 x H 61 mm • Size:

• Weight: 1.1 kg

Code-No. 900300