



K1-25L / 120709



K1-12L / 120710





## **Technical Data**

Name	Salad spinner	
Code-No.: / Model-No.:	120709 / K1-25L	120710 / K1-12L
Material:	Plastic, colour: orange	
Design:	<ul> <li>Drive: crank handle</li> <li>Features: draining colander, detachable</li> <li>Food-safe, dishwasher-safe</li> <li>Also suitable for drying vegetables</li> </ul>	
Water outlet:	Drain hose: 1.6 m	None
Capacity:	25 litres	12 litres
Dimensions:	W 440 x D 440 x H 520 mm	W 320 x D 320 x H 440 mm
Weight:	3.28 kg	2.15 kg

Subject to technical changes!

## Operating and cleaning instructions

- Unpack the spinner and remove the packaging according to environmental regulations.
- Before the first use, clean the salad spinner (external container, draining colander, lid with a crank handle) with warm water and mild cleaning agent. Rinse with clean water and then wipe dry the cleaned elements.
- Prepare and clean the salad thoroughly, then place it in the draining colander of the salad spinner.
- Next, put the colander in the external container. Make sure it is tightly mounted on the pin in the bottom of the external container.
- Place the lid on the external container and check whether it fits tightly on the container, thus ensuring the connection between the draining colander of the spinner and the lid.



## **B**artscher

- Connect the drain hose to the water outlet in the bottom of the external container (Code-No.: 120709) and lay the hose to the basin under the table to allow draining of water during centrifuging.
  - Next, install the crank handle on the lid and turn it until the desired dryness is achieved.



- In case of the Code-No.: 120710 without water outlet, pour off water from the external container after centrifuging.
- After use, thoroughly clean all the elements of the salad spinner with warm water and mild cleaning agent. Rinse with clean water and then wipe dry all cleaned elements.
- Never use abrasive agents or bleach, because they may damage the surface of the salad spinner.

Bartscher GmbH Franz-Kleine-Str. 28 33154 Salzkotten Germany

phone: +49 (0) 5258 971-0 fax: +49 (0) 5258 971-120