

# Automatic coffee machine KV1 Comfort



- ▶ Max. output: 40 cups of 120 ml/hour
- ▶ Grounds container capacity: Approx. 35 cups



- ▶ 23 preset programs, can be overwritten with custom programs
- ▶ Cup counter
- ▶ Hot water function
- ▶ Hot milk function
- ▶ Decalcification signal



With up to 23 individually programmable coffee variations, a mains water connection and a 6-litre water tank, the clever version of the KV1 offers maximum coffee enjoyment with simple, intuitive touch controls. In combination with the elegant design, the 7" advertising display, which can be set to play a custom message, automatically invites onlookers to enjoy a freshly brewed espresso, cappuccino, latte

- ▶ Height-adjustable spout



|  |   |
|--|---|
| <ul style="list-style-type: none"> <li>✓ Minimum brewing quantity: 25 ml</li> <li>• Designed for: 80 cups / day</li> <li>• Decalcification signal: Yes</li> <li>• Control unit: Touch</li> <li>• Water connection: Fixed connection to water supply 1/2"</li> <li>• Water tank capacity: 6 litre(s)</li> <li>• Detachable water tank: Yes</li> <li>• Automatic turn-off: Yes</li> <li>• Hot milk function: Yes</li> <li>• Grinding mechanism: Cone grinder</li> <li>• Grinder material: Steel</li> <li>• Pressure system: Piston pressure</li> <li>• Pump pressure: 19 bar</li> <li>• USB connection: Yes</li> <li>• Residues container capacity: Approx. 35 cups</li> <li>• Residues container dishwasher-suitable: Yes</li> <li>• Ground coffee option: -</li> <li>• Multi cups: Yes</li> <li>• Material: Plastic</li> <li>• Design: Complete machine</li> <li>• ON/OFF switch: Yes</li> <li>• Power load: 2,7 kW   230 V   50/60 Hz</li> <li>• Control lamp: -</li> <li>• Filling level display: yes<br/>Illuminated</li> <li>• Setting possibilities: 5 grinding levels<br/>Coffee dosing</li> </ul> | <ul style="list-style-type: none"> <li>• Setting possibilities: Water quantity<br/>Water temperature<br/>Water quantity<br/>Video display</li> <li>• Water supply: 3 options<br/>Water tank<br/>Fixed connection to water supply<br/>Water supply via external container</li> <li>• Milk supply: External via tube</li> <li>• Programs: 23, preset, individual write-over possible<br/>Programming password protected</li> <li>• Operating system: Android</li> <li>• Video display: Individual playable via USB<br/>Up to 10 videos can be saved<br/>During coffee preparation and during breaks<br/>1 video can be selected for all processes</li> <li>• Colour: Black<br/>Silver</li> <li>• Brewing group(s): 1</li> <li>• Output max.: 40 cups à 120 ml / hour</li> <li>• Including: 2 milk hoses, 50 cm<br/>1 water supply hose, 150 cm<br/>1 water supply hose, 200 cm<br/>Programs<br/>Status<br/>Volume<br/>Maintenance info</li> </ul> |
|--|---|

- ▶ Milk frother



- ▶ Can be used with a mains water connection or a water tank

✓ Contents: 6 L, detachable

- ▶ Also suitable for high levels of use

GB

04/2023

1/3



Subject to technical modifications and errors.

Code-No. 190031

GTIN 4015613745367

### Milk refrigerator KV8,1L



- Material inside: Plastic ABS
- Colour: Black
- Content: 8,1 litre(s)
- Size inside: W 160 x D 190 x H 280 mm
- Cooling: Compressor  
Circulating air
- Temperature range: 0 °C to 8 °C
- Temperature control: Electronic  
In 1 °C steps
- Opening for milk hose: 2 openings, left and right on the appliance  
Ø 7 mm

Code-No. 190085  
GTIN 4015613803500

### Cleaning tabs KV-20



- Order quantity unit: 1 sales display unit (20 retail packs)
- Designed for: Coffee machines  
Fully automatic coffee  
Thermal jugs  
Filter holder coffee machines
- Content: 20 x 2 blister packs with 10 cleaning tabs
- Model: Tab form
- Ph level: 10
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173283V  
GTIN 4015613800103

### Cleaning tabs KV-20



- Order quantity unit: 1 sales display unit (20 retail packs)
- Designed for: Coffee machines  
Fully automatic coffee  
Thermal jugs  
Filter holder coffee machines
- Content: 20 x 2 blister packs with 10 cleaning tabs
- Model: Tab form
- Ph level: 10
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173283  
GTIN 4015613767949

### Cup warmer T160



- Diameter cups max.: 90 mm
- Power load: 0,11 kW | 230 V | 50/60 Hz
- Temperature range: 47 °C to 52 °C
- ON/OFF switch: Yes
- Capacity cups max.: 16
- Material: Aluminium  
Plastic
- Important information: -
- Size Cupholder: Ø 95 mm | Height: 300 mm
- Properties: Heating: PTC heating
- Safety thermostat: No

Code-No. 103048  
GTIN 4015613672250

### Cup warmer TA720



- Power load: 0,14 kW | 230 V | 50/60 Hz
- Capacity cups max.: 72
- Material: Stainless steel
- Important information: -
- ON/OFF switch: Yes
- Temperature range to: 60 °C
- Properties: With worktop surface, dimensions: W 250 x D 250 mm
- Size utility space: W 280 x D 295 mm
- Height inside, each: 175 mm
- Safety thermostat: Yes

Code-No. 103076  
GTIN 4015613708867

### Cup warmer TA1440



- Size utility space: W 285 x D 335 mm
- Height inside, each: 180 mm
- Power load: 0,3 kW | 230 V | 50 Hz
- Temperature range: 30 °C to 60 °C
- ON/OFF switch: Yes
- Important information: -
- Material: Stainless steel
- Safety thermostat: Yes
- Properties: Glass
- Protection class: IPX4

Code-No. 103079  
GTIN 4015613756837

### Milk refrigerator KV8,1L



- Material inside: Plastic ABS
- Colour: Black
- Content: 8,1 litre(s)
- Size inside: W 160 x D 190 x H 280 mm
- Cooling: Compressor
- Temperature control: Circulating air
- Automatic defrosting function: Electronic
- Drip water evaporation: In 1 °C steps
- Thermostat: Yes

Code-No. 190082  
GTIN 4015613779768

### Pressure regulator



- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar
- Material: Brass
- Important information: Chrome-plated
- Size: -
- Weight: W 95 x D 75 x H 50 mm

Code-No. 533051  
GTIN 4015613468617