



- ▶ 1 boiler
- ✓ Volume: 17.5 litres

- ▶ 3 brewing groups

- ▶ 2 steam taps
- ▶ 1 hot water tap

- ▶ 3 programs

- ▶ Controllable hot water output

- ▶ Automatic brewing group cleaning and cleaning programs for extra hygiene

To experience real coffee pleasure, a portafilter coffee machine from Bartscher is your best bet, because it really allows the taste nuances of your coffee to develop to their fullest. It's incomparable and cannot be replaced by any other method of preparing coffee, giving a unique and delectable freshly-brewed coffee aroma.

• Important information:	-	• Hot water release regulation:	Yes
• Material:	Steel plate Painted	• Pressure display via manometer:	Yes
• Design:	Sieve carrier	• Timer:	Yes
• Control lamp:	-	• Programs:	3
• ON/OFF switch:	Yes	• Number of boilers:	1
• Properties:	LED lighting, separately switchable Diverse coffee specialty settings	• Brewing group(s):	3
• Equipment connection:	3 NAC	• Content:	17,5
• Power load:	4,35 kW 400 V 50 Hz	• Steam taps:	2
• Control unit:	Electronic Toggle Knob	• Hot water taps:	1
• Digital display:	Yes	• Including:	1 drain hose, 150 cm 1 portafilter with 1 outlet 3 portafilters with 2 outlets 1 supply hose, 55 cm
• Display:	Boiler temperature adjustment Drink selection and programming	• Size:	W 990 x D 575 x H 465 mm
	Start of cleaning program Timer Pre-brewing Warning notes	• Weight:	70.6 kg
• Automatic brewing group cleaning:	Yes		
• Automatic boiler filling:	Yes		
• Cleaning programs:	Yes		
• Automatic water intake through solenoid valve:	Yes		
• Pre-brewing:	Yes		



Portafilter Coffeeline 710



- Important information: -
- Material: Plastic
Brass
Chrome-plated
- Model: 1-cup outlet
- Including: -
- Approx. content of ground coffee: 7 g
- Size: W 220 x D 80 x H 70 mm
- Weight: 0.62 kg

Code-No. 190234
GTIN 4015613815145

Portafilter Coffeeline 1420



- Model: 2-cup outlet
- Material: Plastic
Brass
Chrome-plated
- Important information: -
- Including: -
- Approx. content of ground coffee: 14 g
- Size: W 220 x D 80 x H 70 mm
- Weight: 0.62 kg

Code-No. 190235
GTIN 4015613815152

Portafilter Coffeeline 2100



- Approx. content of ground coffee: 21 g
- Material: Plastic
Brass
Chrome-plated
- Important information: -
- Including: 1 sieve
- Model: Bottomless
- Size: W 70 x D 220 x H 45 mm
- Weight: 0.43 kg

Code-No. 190236
GTIN 4015613815978

Tamper aluminium



- Diameter: 57 mm
- Material: Aluminium
- Important information: -
- Size: W 57 x D 57 x H 92 mm
- Weight: 0.22 kg

Code-No. 190179
GTIN 4015613656380

Coffee machine Coffeeline B30

Add on Products

Coffee grounds drawer S285



- Material: Stainless steel
- Properties: Can be expanded flexibly
Very easy to mount
- Important information: -
- Content coffee grounds: Approx. 55 portions
- Size: W 278 x D 420 x H 85 mm
- Weight: 4.6 kg

Code-No. 190233
GTIN 4015613815114

Coffee grinder Tauro Digital



- Display: Yes
- Control unit: Electronic
- Grinding fineness: Manual
Stepless control
- Power load: 0,275 kW | 230 V | 50/60 Hz
- Protection class: IP21
- Overheating protection: Yes
- ON/OFF switch: Yes
- Designed for: Filter holder coffee machines
- Rpm max.: 1650 r. / min.
- Content bean container: 1 kg

Code-No. 190225
GTIN 4015613806228

Water filter system K3600L



- Water connection: 3/8"
- Water pressure: 3 bar
- Colour: White
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C
- Designed for: Coffee machines
Combined steamer
- Output capacity: 3,600 litres / at 10° KH (carbonate hardness)
- Material: Plastic
- Important information: -
- Design: Disposable system

Code-No. 109847
GTIN 4015613743899

Water meter W3B-1



- Colour: Steel grey
- Designed for: Water filter system K3600L
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C
- Water connection: 1/4"
- Water pressure: 3 bar
- Operated via: Batteries (2 x AA)
- Including: 2 AA batteries
1/4" to 1/8" adapter
1/4" adapter for 10 mm Ø plastic hose
Wall holder for control panel

Code-No. 109849
GTIN 4015613744117

Water meter W1-8B



- Water intake temperature from: 4 °C
- Water intake temperature to: 30 °C
- Operated via: Batteries (2 x AA)
- Material: Plastic
- Important information: -
- Colour: Grey
Black
- Designed for: Water filter system K1500L
- Water connection: 3/8"
- Water pressure: 1 - 8 bar
- Including: 2 AA batteries

Code-No. 109898
GTIN 4015613792798

Milk frother induction MSI400



- Power load: 0,6 kW | 230 V | 50/60 Hz
- Temperature range: 0 °C to 70 °C
- Automatic turn-off: Yes
- ON switch: Yes
- Mixing bowl: Detachable
Stainless steel with plastic lid
- Design: Induction
- Material: Stainless steel
- Important information: -
- Properties: 4 non-slip feet made of silicone
Beaker, lid, mixing disks, dishwasher-suitable

Code-No. 190129
GTIN 4015613613413