




- |                                       |  |                           |                          |
|---------------------------------------|--|---------------------------|--------------------------|
| • Sub-counter unit type:              | Leaf door  | • Heating element:        | Can be swivelled         |
| • Power load:                         | 14 kW   380-400 V   50/60 Hz   | • Size basin:             | W 140 x D 345 x H 220 mm |
| • Size basket:                        | W 130 x D 310 x H 120 mm   | • Height-adjustable feet: | Yes                      |
| • Series:                             | -  | • Temperature range:      | 140 °C to 190 °C         |
| • Type:                               | Upright unit   | • Size:                   | W 400 x D 700 x H 850 mm |
| • Beaker capacity:                    | 8 litre(s)   | • Weight:                 | 62 kg                    |
| • Cold zone:                          | Yes  |                           |                          |
| • Safety thermostat:                  | Yes  |                           |                          |
| • Grease release tap:                 | Yes  |                           |                          |
| • Number of tanks:                    | 2  |                           |                          |
| • Number of baskets:                  | 2  |                           |                          |
| • Properties:                         | Rounded corners<br>Basin with large cold zone<br>Extra wide basin edge<br>Grease collection tank with filter<br>Precision thermostat<br>Safety thermostat with fixed calibration |                           |                          |
| • Including:                          | -  |                           |                          |
| • Operating mode:                     | Electro  |                           |                          |
| • Material:                           | CNS 18/10  |                           |                          |
| • Important information:              | -  |                           |                          |
| • Equipment connection:               | 3 NAC  |                           |                          |
| • Control unit:                       | Toggle   |                           |                          |
| • Control lamp:                       | -  |                           |                          |
| • ON/OFF switch:                      | No   |                           |                          |
| • Grease collection tank:             | Yes  |                           |                          |
| • Colour:                             | Silver   |                           |                          |
| • Size base unit:                     | W 360 x D 650 x H 470 mm   |                           |                          |
| • Height adjustable:                  | 850 mm to 910 mm   |                           |                          |
| • Heating element in stainless steel: | No   |                           |                          |

## Deep fat fryer 700, W400, 2x8L

### Add on Products

#### Frying fat filter



- Temperature range to: 190 °C
- Material: Special fabric
- Can be washed: Up to 40 °C
- Important information: Not suitable for the dryer
- Size: W 250 x D 600 x H 155 mm
- Weight: 0.52 kg

Code-No. A101999  
GTIN 4016098100986

#### Fat disposal container 12L



- Content: 12 litre(s)
- Properties: Cover for the drain  
Lid locks during transport  
raised base edge with air circulation openings  
Safety connection between the bucket and lid  
Additional heat-protected handle for emptying
- Material: Steel plate  
Hot-dipped galvanised  
Acc. to DIN EN ISO 1461
- Diameter: 280 mm

Code-No. A150460V  
GTIN 4015613274096

#### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head  
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium  
Exclusively available in Germany and Austria

Code-No. 173080  
GTIN 4015613731933

#### Salt shaker 300



- Order quantity unit: 1 box (6 salt shaker)
- Design: With screw-on lid
- Material: Aluminium
- Important information: -
- Designed for: Salt  
Spices  
Sugar  
Flour
- Content: 300 ml
- Size: W 70 x D 70 x H 115 mm
- Weight: 0.06 kg

Code-No. 680654  
GTIN 4015613758374

### Salt shaker 650



- Design: With screw-on lid
- Designed for: Salt  
Spices  
Sugar  
Flour
- Content: 650 ml
- Order quantity unit: 1 box (6 salt shaker)
- Material: Aluminium
- Important information: -
- Size: W 85 x D 85 x H 190 mm
- Weight: 0.11 kg

Code-No. 680655  
GTIN 4015613762043

### Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)
- Designed for: Wipe-off work surfaces, stainless steel surfaces  
Tiled walls and floors  
Highly effective against deposits in coffee cans  
Machines, appliances

Code-No. 173276  
GTIN 4015613761176