



- |                           |   |                             |  |
|---------------------------|---|-----------------------------|--|
| • Connected load oven:    | 3,65 kW   400 V   3 NAC                                 | • Gas type:                 | Natural gas H (20 mbar)<br>Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed |
| • Frequency:              | 50 Hz   | • Power:                    | 29,4 kW  |
| • Temperature range:      | 100 °C to 300 °C  | • Material cooking chamber: | CNS 18/0   |
| • Distribution of hobs:   | 2 x 6,2 kW, 2 x 8,5 kW                                  | • Size:                     | W 800 x D 700 x H 850 mm   |
| • Large hobs:             | 330 x 270 mm  | • Weight:                   | 103.4 kg   |
| • Number of drawers:      | 3   |                             |  |
| • Distance between trays: | 90 mm   |                             |  |
| • Oven functions:         | Circulating air   |                             |  |
| • Oven type:              | Electro   |                             |  |
| • Oven volume:            | 58 litre(s)   |                             |  |
| • Gastronorm:             | 1/1 GN  |                             |  |
| • Size oven:              | W 535 x D 370 x H 290 mm                                |                             |  |
| • Oven properties:        | -   |                             |  |
| • Vapour extractor:       | Yes   |                             |  |
| • Multifunctional oven:   | Yes   |                             |  |
| • Height adjustable:      | 850 mm to 900 mm  |                             |  |
| • Gas burner:             | Two-circle burner                                       |                             |  |
| • Ignition type:          | Manual ignition   |                             |  |
| • Pilot flame:            | Yes   |                             |  |
| • Type:                   | Upright unit  |                             |  |
| • Height-adjustable feet: | Yes   |                             |  |
| • Properties:             | Cast iron grille<br>Hobs with removable collection tray |                             |  |
| • Including:              | -   |                             |  |
| • Series:                 | 700   |                             |  |
| • Operating mode:         | Electro / gas   |                             |  |
| • Type of hobs:           | Gas   |                             |  |
| • Number of hobs:         | 4   |                             |  |
| • Material:               | CNS 18/10   |                             |  |
| • Important information:  | -   |                             |  |


### Grill plate 700-R



- Roasting surface design: Ribbed
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 575 x D 375 x H 38 mm
- Weight: 24.1 kg

Code-No. 285080  
GTIN 4015613486635

### Frying plate 700-G



- Roasting surface design: Smooth
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 575 x D 375 x H 38 mm
- Weight: 22.3 kg

Code-No. 285083  
GTIN 4015613486642

### Support ring for small pots 700



- Important information: -
- Size: W 375 x D 575 x H 38 mm
- Weight: 0.25 kg

Code-No. 285085  
GTIN 4015613486659

### Swivel castors 4S700



- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 100 mm
- Load-bearing capacity max., each: 100 kg
- Material: Plastic  
Rubber coated
- Important information: -
- Size: W 85 x D 170 x H 121 mm
- Weight: 2.9 kg

Code-No. 285088  
GTIN 4015613665986

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078  
GTIN 4015613731926

### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head  
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium  
Exclusively available in Germany and Austria

Code-No. 173080  
GTIN 4015613731933

### Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>  
Cotton 100 % (exterior)
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 200 x D 300 x H 35 mm
- Weight: 0.23 kg

Code-No. A500510  
GTIN 4015613735467

### Oven gloves 370



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 220 x D 370 x H 35 mm
- Weight: 0.28 kg

Code-No. A500511  
GTIN 4015613735474

### Oven gloves 420



- **Properties:** With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- **Colour:** Black
- **Can be washed:** No
- **Heat resistant to:** 250 °C
- **Length:** 420 mm
- **Material:** Cotton 100 % (exterior)
- **Important information:** Do not wash to maintain flame protection
- **Size:** W 235 x D 420 x H 35 mm
- **Weight:** 0.36 kg

Code-No. A500512  
GTIN 4015613735481

### Oven gloves 600



- **Properties:** With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- **Colour:** Black
- **Can be washed:** No
- **Heat resistant to:** 250 °C
- **Length:** 600 mm
- **Material:** Cotton 100 % (exterior)
- **Important information:** Do not wash to maintain flame protection
- **Size:** W 230 x D 600 x H 35 mm
- **Weight:** 0.51 kg

Code-No. A500513  
GTIN 4015613735498

### Thermometer D3000 KTP

STAINLESS  
STEEL



- **Control unit:** Electronic
- **Puncture depth:** 120 mm
- **Application area:** Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- **Temperature range:** -50 °C to 300 °C
- **Design:** Digital
- **With temperature sensor:** Yes
- **Designed for:** Core temperature measurements

Code-No. 293043  
GTIN 4015613664255

### Cooking pergament 1/1 GN



- **GN-capable:** Yes
- **Material:** Paper
- **Important information:** -
- **Order quantity unit:** 1 box (500 sheets)
- **Format per sheet:** 1/1 GN, W 530 x D 325 mm
- **Heat resistant to:** 220 °C
- **Size:** W 530 x D 325 x H 35 mm
- **Weight:** 3.6 kg

Code-No. 150687  
GTIN 4015613711423

### Tray 1/1GN, 20 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 3,5 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101185  
GTIN 4015613271729

### Tray 1/1GN, 40 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 40 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 5 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101186  
GTIN 4015613271736

### Tray 1/1GN, 65 mm

CNS 18/10




- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 65 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 9 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101187  
GTIN 4015613271743

### GN grid 1/1, SS


CNS 18/10



- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Norm: EN 631
- Series: Top Line
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.95 kg

Code-No. A101091  
GTIN 4016098175250

### Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.49 kg

Code-No. 100427  
GTIN 4015613734750

### Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.55 kg

Code-No. 100428  
GTIN 4015613734767

### Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.69 kg

Code-No. 100426  
GTIN 4015613734743

### Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas  
Grill, oven and combi steamer cleaning (without cleaning system)  
Cookers, extractor hoods, tilting frying pans etc.

Code-No. 173280  
GTIN 4015613761183