



- Temperature range: 140 °C to 300 °C
- Oven properties: Ignition type: Piezo ignition
- Oven type: Gas
- Distribution of hobs: 3 x 6,2 kW, 3 x 8,5 kW
- Large hobs: 330 x 270 mm
- Oven connected load: 7,5 kw
- Size oven: W 650 x D 565 x H 310 mm
- Sub-counter unit type: Leaf door
- Size base unit: W 350 x D 600 x H 400 mm
- Gastronorm: 2/1 GN
- Height adjustable: 850 mm to 900 mm
- Gas type: Natural gas H (20 mbar)  
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
- Gas burner: Two-circle burner
- Ignition type: Manual ignition
- Pilot flame: Yes
- Type: Upright unit
- Height-adjustable feet: Yes
- Properties: Cast iron grille  
Hobs with removable collection tray
- Including: -
- Series: 700
- Operating mode: Gas
- Type of hobs: Gas
- Number of hobs: 6
- Material: CNS 18/10
- Important information: -
- Power: 51,6 kW
- Number of drawers: 3
- Distance between trays: 90 mm
- Oven functions: Lower heat
- Oven volume: 126 litre(s)
- Vapour extractor: Yes
- Multifunctional oven: No
- Material cooking chamber: CNS 18/0
- Size: W 1,200 x D 700 x H 850 mm
- Weight: 149 kg


### Grill plate 700-R



- Roasting surface design: Ribbed
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 575 x D 375 x H 38 mm
- Weight: 24.1 kg

Code-No. 285080  
GTIN 4015613486635

### Frying plate 700-G



- Roasting surface design: Smooth
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 575 x D 375 x H 38 mm
- Weight: 22.3 kg

Code-No. 285083  
GTIN 4015613486642


### Support ring for small pots 700



- Important information: -
- Size: W 375 x D 575 x H 38 mm
- Weight: 0.25 kg

Code-No. 285085  
GTIN 4015613486659

### Swivel castors 4S700



- Swivel castors: 4 swivel castors, 2 with brake
- Diameter castors: 100 mm
- Load-bearing capacity max., each: 100 kg
- Material: Plastic  
Rubber coated
- Important information: -
- Size: W 85 x D 170 x H 121 mm
- Weight: 2.9 kg

Code-No. 285088  
GTIN 4015613665986

### Thermometer D3000 KTP

STAINLESS STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -50 °C to 300 °C
- Design: Digital
- With temperature sensor: Yes
- Designed for: Core temperature measurements

Code-No. 293043  
GTIN 4015613664255

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078  
GTIN 4015613731926

### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head  
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium  
Exclusively available in Germany and Austria

Code-No. 173080  
GTIN 4015613731933

### Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>  
Cotton 100 % (exterior)
- Material: Do not wash to maintain flame protection
- Important information: W 200 x D 300 x H 35 mm
- Size: 0.23 kg
- Weight:

Code-No. A500510  
GTIN 4015613735467

### Oven gloves 370



- **Properties:** With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- **Colour:** Black
- **Can be washed:** No
- **Heat resistant to:** 250 °C
- **Length:** 370 mm
- **Material:** Cotton 100 % (exterior)
- **Important information:** Do not wash to maintain flame protection
- **Size:** W 220 x D 370 x H 35 mm
- **Weight:** 0.28 kg

Code-No. A500511  
GTIN 4015613735474

### Oven gloves 420



- **Properties:** With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- **Colour:** Black
- **Can be washed:** No
- **Heat resistant to:** 250 °C
- **Length:** 420 mm
- **Material:** Cotton 100 % (exterior)
- **Important information:** Do not wash to maintain flame protection
- **Size:** W 235 x D 420 x H 35 mm
- **Weight:** 0.36 kg

Code-No. A500512  
GTIN 4015613735481

### Oven gloves 600



- **Properties:** With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- **Colour:** Black
- **Can be washed:** No
- **Heat resistant to:** 250 °C
- **Length:** 600 mm
- **Material:** Cotton 100 % (exterior)
- **Important information:** Do not wash to maintain flame protection
- **Size:** W 230 x D 600 x H 35 mm
- **Weight:** 0.51 kg

Code-No. A500513  
GTIN 4015613735498

### Tray 2/1GN, 20 mm



- **Important information:** -
- **Stackable:** Yes
- **Design:** No perforation
- **Reinforced edge:** Yes
- **Depth container:** 20 mm
- **Gastronorm:** 2/1 GN
- **Content:** 6,9 litre(s)
- **Surface:** Silk matt
- **Norm:** EN 631
- **Series:** Top Line
- **Properties:** -

Code-No. A101181  
GTIN 4015613271699

### Tray 2/1GN, 40 mm

CNS  
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 40 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10
- Important information: -
- Surface: Silk matt
- Norm: EN 631
- Series: Top Line

Code-No. A101182  
GTIN 4015613271705

### Tray 2/1GN, 65 mm

CNS  
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 65 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 18,5 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101183  
GTIN 4015613271712

### Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas  
Grill, oven and combi steamer cleaning (without cleaning system)  
Cookers, extractor hoods, tilting frying pans etc.

Code-No. 173280  
GTIN 4015613761183