



- | | | | |
|---------------------------|--|-----------------------------|----------------------------|
| • Connected load oven: | 3,65 kW 400 V 3 NAC | • Type of hobs: | Gas |
| • Frequency: | 50 Hz | • Number of hobs: | 6 |
| • Temperature range: | 100 °C to 300 °C | • Material: | CNS 18/10 |
| • Distribution of hobs: | 3 x 6,2 kW, 3 x 8,5 kW | • Important information: | - |
| • Number of drawers: | 3 | • Power: | 44,1 kW |
| • Large hobs: | 330 x 270 mm | • Material cooking chamber: | CNS 18/0 |
| • Distance between trays: | 90 mm | • Size: | W 1,200 x D 700 x H 850 mm |
| • Oven properties: | - | • Weight: | 133.8 kg |
| • Oven functions: | Circulating air | | |
| • Multifunctional oven: | Yes | | |
| • Oven type: | Electro | | |
| • Oven volume: | 58 litre(s) | | |
| • Vapour extractor: | Yes | | |
| • Size oven: | W 535 x D 370 x H 290 mm | | |
| • Sub-counter unit type: | Leaf door | | |
| • Size base unit: | W 350 x D 600 x H 400 mm | | |
| • Gastronorm: | 1/1 GN | | |
| • Height adjustable: | 850 mm to 900 mm | | |
| • Gas type: | Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed | | |
| • Gas burner: | Two-circle burner | | |
| • Ignition type: | Manual ignition | | |
| • Pilot flame: | Yes | | |
| • Type: | Upright unit | | |
| • Height-adjustable feet: | Yes | | |
| • Properties: | Cast iron grille | | |
| • Including: | - | | |
| • Series: | 700 | | |
| • Operating mode: | Electro / gas | | |


Grill plate 700-R



- Roasting surface design: Ribbed
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 575 x D 375 x H 38 mm
- Weight: 24.1 kg

Code-No. 285080
GTIN 4015613486635

Frying plate 700-G



- Roasting surface design: Smooth
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 575 x D 375 x H 38 mm
- Weight: 22.3 kg

Code-No. 285083
GTIN 4015613486642


Support ring for small pots 700



- Important information: -
- Size: W 375 x D 575 x H 38 mm
- Weight: 0.25 kg

Code-No. 285085
GTIN 4015613486659

Swivel castors 4S700



- Swivel castors: 4 swivel castors, 2 with brake
- Diameter castors: 100 mm
- Load-bearing capacity max., each: 100 kg
- Material: Plastic
Rubber coated
- Important information: -
- Size: W 85 x D 170 x H 121 mm
- Weight: 2.9 kg

Code-No. 285088
GTIN 4015613665986

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium
Exclusively available in Germany and Austria

Code-No. 173080
GTIN 4015613731933

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
Cotton 100 % (exterior)
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 200 x D 300 x H 35 mm
- Weight: 0.23 kg

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 220 x D 370 x H 35 mm
- Weight: 0.28 kg

Code-No. A500511
GTIN 4015613735474

Gas range 70060 EB11

Add on Products

Oven gloves 420



- **Properties:** With flame protection
With hanger
Fabric density: 640 g/m²
- **Colour:** Black
- **Can be washed:** No
- **Heat resistant to:** 250 °C
- **Length:** 420 mm
- **Material:** Cotton 100 % (exterior)
- **Important information:** Do not wash to maintain flame protection
- **Size:** W 235 x D 420 x H 35 mm
- **Weight:** 0.36 kg

Code-No. A500512
GTIN 4015613735481

Oven gloves 600




- **Properties:** With flame protection
With hanger
Fabric density: 640 g/m²
- **Colour:** Black
- **Can be washed:** No
- **Heat resistant to:** 250 °C
- **Length:** 600 mm
- **Material:** Cotton 100 % (exterior)
- **Important information:** Do not wash to maintain flame protection
- **Size:** W 230 x D 600 x H 35 mm
- **Weight:** 0.51 kg

Code-No. A500513
GTIN 4015613735498

GN grid 1/1, SS

CNS
18/10



- **Gastronorm:** 1/1 GN
- **Material:** CNS 18/10
- **Important information:** -
- **Norm:** EN 631
- **Series:** Top Line
- **Size:** W 325 x D 530 x H 10 mm
- **Weight:** 0.95 kg

Code-No. A101091
GTIN 4016098175250

Tray 1/1GN, 20 mm

CNS
18/10



- **Stackable:** Yes
- **Design:** No perforation
- **Reinforced edge:** Yes
- **Properties:** -
- **Depth container:** 20 mm
- **Gastronorm:** 1/1 GN
- **Material:** CNS 18/10
- **Important information:** -
- **Content:** 3,5 litre(s)
- **Surface:** Silk matt
- **Norm:** EN 631

Code-No. A101185
GTIN 4015613271729

Tray 1/1GN, 40 mm

CNS
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 40 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 5 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101186
GTIN 4015613271736

Tray 1/1GN, 65 mm

CNS
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 65 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 9 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101187
GTIN 4015613271743

Grill plate



- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Material: Cast aluminium
- Important information: -
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg

Code-No. 106576
GTIN 4015613660783

Thermometer D3000 KTP

STAINLESS
STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -50 °C to 300 °C
- Design: Digital
- With temperature sensor: Yes
- Designed for: Core temperature measurements

Code-No. 293043
GTIN 4015613664255


Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.69 kg

Code-No. 100426
GTIN 4015613734743

Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.49 kg

Code-No. 100427
GTIN 4015613734750

Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.55 kg

Code-No. 100428
GTIN 4015613734767

Cooking pergament 1/1 GN



- GN-capable: Yes
- Material: Paper
- Important information: -
- Order quantity unit: 1 box (500 sheets)
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Size: W 530 x D 325 x H 35 mm
- Weight: 3.6 kg

Code-No. 150687
GTIN 4015613711423

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas
Grill, oven and combi steamer cleaning (without cleaning system)
Cookers, extractor hoods, tilting frying pans etc.

Code-No. 173280
GTIN 4015613761183