



- Sub-counter unit type: Leaf door
- Height adjustable: 850 mm to 900 mm
- Gas type: Natural gas H
Liquid gas and natural gas L-
nozzles are enclosed
- Size Basket 2: W 120 x D 270 x H 110 mm
- Ignition type: Piezo ignition
- Size basket 1: W 260 x D 270 x H 110 mm
- Grease collection tank: Yes
- Type: Upright unit
- Cold zone: Yes
- Safety thermostat: Yes
- Grease release tap: Yes
- Height-adjustable feet: Yes
- Number of tanks: 2
- Properties: Basin with large cold zone
- Including: -
- Operating mode: Gas
- Important information: The installation is only approved
with an exhaust chimney
- Control unit: Toggle
- Control lamp: -
- ON/OFF switch: No
- Power: 30 kW
- Colour: Silver
- Temperature range: 100 °C to 190 °C
- Number of baskets: 3 (1 x large, 2 x small)
- Series: 700
- Basket content basket
2: 3,5 litre(s)
- Material: CNS 18/10
Stainless steel
- Beaker capacity: 15 litre(s)
- Basket content basket
1: 7,7 litre(s)
- Size: W 800 x D 700 x H 850 mm
- Weight: 92 kg

Deep fat fryer gas, 700 W800, 2x15L

Add on Products

Exhaust flue for hood



- Important information: -
- Size: W 300 x D 65 x H 995 mm
- Weight: 9.9 kg

Code-No. 2952720
GTIN 4015613489124

Fat disposal container 12L



- Content: 12 litre(s)
- Properties: Cover for the drain
Lid locks during transport
raised base edge with air circulation openings
Safety connection between the bucket and lid
Additional heat-protected handle for emptying
- Material: Steel plate
Hot-dipped galvanised
Acc. to DIN EN ISO 1461
- Diameter: 280 mm

Code-No. A150460V
GTIN 4015613274096

Frying fat filter



- Temperature range to: 190 °C
- Material: Special fabric
- Can be washed: Up to 40 °C
- Important information: Not suitable for the dryer
- Size: W 250 x D 600 x H 155 mm
- Weight: 0.52 kg

Code-No. A101999
GTIN 4016098100986

Thermometer A3000 TP



- Control unit: -
- Puncture depth: 300 mm
- Material temperature sensor: Stainless steel
- Temperature range: 10 °C to 300 °C
- Design: Analogue
- With temperature sensor: Yes
- Designed for: Deep fat fryers
- Properties: Temperature range also in Fahrenheit
- Colour: Silver
- Including: 1 adjustable holding clip
- Material: Stainless steel

Code-No. 292046
GTIN 4015613633152

Deep fat fryer gas, 700 W800, 2x15L

Add on Products

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such as aluminium
Exclusively available in Germany and Austria

Code-No. 173080
GTIN 4015613731933

Deep frying basket 700 15L-LG



- Size basket: W 260 x D 270 x H 110 mm
- Important information: -
- Material: Stainless steel
- Content: 7,7 litre(s)
- Size: W 525 x D 270 x H 250 mm
- Weight: 1.1 kg

Code-No. 286998
GTIN 4015613488264

Deep frying basket 700 15L-SG



- Size basket: W 120 x D 270 x H 110 mm
- Important information: -
- Content: 3,5 litre(s)
- Material: Stainless steel
- Size: W 525 x D 130 x H 250 mm
- Weight: 0.75 kg

Code-No. 286995
GTIN 4015613671093

Salt shaker 300



- Order quantity unit: 1 box (6 salt shaker)
- Design: With screw-on lid
- Material: Aluminium
- Important information: -
- Designed for: Salt
Spices
Sugar
Flour
- Content: 300 ml
- Size: W 70 x D 70 x H 115 mm
- Weight: 0.06 kg

Code-No. 680654
GTIN 4015613758374

Salt shaker 650



- Design: With screw-on lid
- Designed for: Salt
Spices
Sugar
Flour
- Content: 650 ml
- Order quantity unit: 1 box (6 salt shaker)
- Material: Aluminium
- Important information: -
- Size: W 85 x D 85 x H 190 mm
- Weight: 0.11 kg

Code-No. 680655
GTIN 4015613762043

Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)
- Designed for: Wipe-off work surfaces, stainless steel surfaces
Tiled walls and floors
Highly effective against deposits in coffee cans
Machines, appliances

Code-No. 173276
GTIN 4015613761176