




▶ 6 hobs

- ✓ Size of hobs: Ø 220 mm
- ✓ Distribution of hobs: 6 x 2.6 kW



▶ Multifunction oven

- ✓ Function: circulating air
- ✓ Volume: 58 litres
- ✓ Gastronorm: 1/1 GN



▶ Sub-counter with leaf door

- ✓ Dimensions: W 350 x D 600 x H 400 mm




Simply indestructible and thought through down to the last detail – Series 700 Classic. The professional series made of sturdy stainless steel 18/10 forms the basis for every large kitchen. Reliable, user-friendly and high-performance - thanks to the modular design, the devices can be tuned to individual needs.

- | | | | |
|-----------------------------|-----------------------------|-----------|----------------------------|
| • Oven connected load: | 3.65 kW | • Size: | W 1,200 x D 700 x H 850 mm |
| • Temperature range: | 100 °C to 300 °C | • Weight: | 112.8 kg |
| • Distribution of hobs: | 6 x 2.6 kW | | |
| • Large hobs: | 6 x Ø 220 mm | | |
| • Number of drawers: | 3 | | |
| • Distance between trays: | 90 mm | | |
| • Material cooking chamber: | Stainless steel | | |
| • Oven functions: | Circulating air | | |
| • Oven type: | Electro | | |
| • Oven volume: | 58 litre(s) | | |
| • Gastronorm: | 1/1 GN | | |
| • Size oven: | W 535 x D 370 x H 290 mm | | |
| • Oven properties: | - | | |
| • Sub-counter unit type: | Leaf door | | |
| • Size base unit: | W 350 x D 600 x H 400 mm | | |
| • Vapour extractor: | Yes | | |
| • Multifunctional oven: | Yes | | |
| • Height adjustable: | 850 mm to 900 mm | | |
| • Power load: | 19,25 kW 400 V 50/60 Hz | | |
| • Equipment connection: | 3 NAC | | |
| • Type: | Upright unit | | |
| • Height-adjustable feet: | Yes | | |
| • Properties: | - | | |
| • Including: | - | | |
| • Operating mode: | Electro | | |
| • Type of hobs: | Electro | | |
| • Number of hobs: | 6 | | |
| • Material: | CNS 18/10 | | |
| • Important information: | - | | |
| • Series: | 700 | | |



GN grid 1/1, SS

CNS 18/10



- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Norm: EN 631
- Series: Top Line
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.95 kg

Code-No. A101091
GTIN 4016098175250

Tray 1/1GN, 20 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 3,5 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101185
GTIN 4015613271729

Tray 1/1GN, 40 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 40 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 5 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101186
GTIN 4015613271736

Tray 1/1GN, 65 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 65 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 9 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101187
GTIN 4015613271743

Grill plate



- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Material: Cast aluminium
- Important information: -
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg

Code-No. 106576
GTIN 4015613660783

Thermometer D3000 KTP



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -50 °C to 300 °C
- Design: Digital
- With temperature sensor: Yes
- Designed for: Core temperature measurements

Code-No. 293043
GTIN 4015613664255

Cooking pergament 1/1 GN



- GN-capable: Yes
- Material: Paper
- Important information: -
- Order quantity unit: 1 box (500 sheets)
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Size: W 530 x D 325 x H 35 mm
- Weight: 3.6 kg

Code-No. 150687
GTIN 4015613711423

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium
Exclusively available in Germany and Austria

Code-No. 173080
GTIN 4015613731933

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
Cotton 100 % (exterior)
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 200 x D 300 x H 35 mm
- Weight: 0.23 kg

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 220 x D 370 x H 35 mm
- Weight: 0.28 kg

Code-No. A500511
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 235 x D 420 x H 35 mm
- Weight: 0.36 kg

Code-No. A500512
GTIN 4015613735481

Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 230 x D 600 x H 35 mm
- Weight: 0.51 kg

Code-No. A500513
GTIN 4015613735498


Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.55 kg

Code-No. 100428
GTIN 4015613734767

Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.49 kg

Code-No. 100427
GTIN 4015613734750

Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.69 kg

Code-No. 100426
GTIN 4015613734743