



- ▶ 6 hobs
- ✓ 1 x 3.5 kW
- ✓ 2 x 5 kW
- ✓ 3 x 8 kW



- ▶ Gas oven
- ✓ Output: 8 kW
- ✓ Format: 2/1 GN
- ✓ Dimensions: W 655 x D 550 x H 300 mm



- ▶ Neutral cabinet
- ✓ Dimensions: W 345 x D 835 x H 470 mm

- ▶ Optimum performance by means of a two-circle hob



- ▶ Easy cleaning
- ✓ Hobs with removable collection tray



- ▶ Simple operation: very large toggles with a good grip and legible labels

The 900 Master series and its high-quality and solid stainless steel version in CNS 18/10 is the ideal choice for modern professional kitchens with high standards. First-rate, flexible and high-performance.

- Temperature range: 60 °C to 300 °C
- Oven type: Gas
- Sub-counter unit type: Leaf door
- Distribution of hobs: 1 x 3,5 kW, 2 x 5 kW, 3 x 8 kW
- Size base unit: W 345 x D 835 x H 470 mm
- Gastronorm: 2/1 GN
- Size oven: W 655 x D 550 x H 300 mm
- Oven connected load: 8 kW
- Multifunctional oven: No
- Height adjustable: 900 mm to 950 mm
- Gas burner: Two-circle burner
- Type: Upright unit
- Height-adjustable feet: Yes
- Number of hobs: 6
- Type of hobs: Gas
- Properties: Hobs with removable collection tray
- Including: -
- Operating mode: Gas
- Material: CNS 18/10
- Important information: -
- Power: 45,5 kW
- Gas type: Natural gas H (20 mbar)  
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
- Series: 900
- Ignition type: Manual ignition
- Oven properties: Ignition type: Piezo ignition
- Size: W 1,200 x D 900 x H 900 mm
- Weight: 195.9 kg

### Grill plate 900-R



- Roasting surface design: Ribbed
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 390 x D 390 x H 17 mm
- Weight: 10.6 kg

Code-No. 296051  
GTIN 4015613676920

### Frying plate 900-G



- Roasting surface design: Smooth
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 390 x D 390 x H 19 mm
- Weight: 10.8 kg

Code-No. 296056  
GTIN 4015613676937

### Support ring for small pots



- Important information: -
- Size: W 260 x D 260 x H 18 mm
- Weight: 0.3 kg

Code-No. 296086  
GTIN 4015613676906

### Swivel castors 4S900



- Swivel castors: 4 swivel castors, 2 with brake
- Diameter casters: 125 mm
- Load-bearing capacity max., each: 100 kg
- Material: Plastic  
Rubber coated
- Important information: -
- Size: W 145 x D 155 x H 160 mm
- Weight: 3.3 kg

Code-No. 295088  
GTIN 4015613680804

### Tray 2/1GN, 20 mm

CNS 18/10



- Important information: -
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Depth container: 20 mm
- Gastronorm: 2/1 GN
- Content: 6,9 litre(s)
- Surface: Silk matt
- Norm: EN 631
- Series: Top Line
- Properties: -

Code-No. A101181  
GTIN 4015613271699

### Tray 2/1GN, 40 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 40 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10
- Important information: -
- Surface: Silk matt
- Norm: EN 631
- Series: Top Line

Code-No. A101182  
GTIN 4015613271705

### Tray 2/1GN, 65 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 65 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10
- Important information: -
- Content: 18,5 litre(s)
- Surface: Silk matt
- Norm: EN 631

Code-No. A101183  
GTIN 4015613271712

### Thermometer D3000 KTP

STAINLESS STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -50 °C to 300 °C
- Design: Digital
- With temperature sensor: Yes
- Designed for: Core temperature measurements

Code-No. 293043  
GTIN 4015613664255

# Gas stove, 6BR, gsO 2/1GN, NS

## Add on Products

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078  
GTIN 4015613731926

### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head  
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium  
Exclusively available in Germany and Austria

Code-No. 173080  
GTIN 4015613731933

### Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>  
Cotton 100 % (exterior)
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 200 x D 300 x H 35 mm
- Weight: 0.23 kg

Code-No. A500510  
GTIN 4015613735467

### Oven gloves 370



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 220 x D 370 x H 35 mm
- Weight: 0.28 kg

Code-No. A500511  
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 235 x D 420 x H 35 mm
- Weight: 0.36 kg

Code-No. A500512  
GTIN 4015613735481

Oven gloves 600



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 230 x D 600 x H 35 mm
- Weight: 0.51 kg

Code-No. A500513  
GTIN 4015613735498