

Chafing dish 6.2L Flexible



▶ Infinite possibilities

- ✓ The chafing dish can be used in combination with an external hob.
- ✓ Volume: 6.2 litres
- ✓ 1 container, Ø 390 mm, 65 mm deep



▶ For an induction or glass ceramic hob

- ✓ Possible heat control via the external built-in hob



▶ Soft-close mechanism

- ✓ Removable lid with window



▶ Lift-up device

- ✓ Easy removal of container



Induction or glass ceramic: This round chafing dish can be used flexibly on a built-in hob – in buffets, at canteens and in front cooking areas. The removable lid with soft-close mechanism means that it's really easy to take food out and to replace the container.

- GN-capable: No
- Content: 6,2 litre(s)
- Heating type: External, via level induction or glass ceramic installed hob
- Stackable: No
- Colour: Silver
- Material handle(s): Stainless steel
Chrome-plated
- Functions: Keeping warm
- Material: Stainless steel
- Important information: An external hob is required to use the device
- With handle(s): Yes
- Diameter inner container: 390 mm
- Lid properties: With window
Soft-Close mechanism (hydraulic lid hinge)
Detachable, with handle
- Properties: Heat control via external hob
Lift-up device for containers
- Material lid: Stainless steel
Chrome-plated
Glass
- Including: 1 container, Ø 390 mm, 65 mm deep, Stainless steel
- Size: W 435 x D 472 x H 185 mm
- Weight: 5.4 kg

Chafing dish 6.2L Flexible

Add on Products

Induction warming plate IW10



STAINLESS STEEL



- Power load: 1 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 50 °C to 100 °C
- Control unit: Toggle
- Control lamp: -
- Overheating protection: Yes
- Timer: No
- Digital display: Yes
- ON/OFF switch: No
- Can be installed: No
- Pot recognition: Yes

Code-No. 114366
GTIN 4015613714806

Induction warming plate IW10-EBBF



STAINLESS STEEL



- Warming station diameter: 280 mm
- Power load: 1 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 50 °C to 100 °C
- Control unit: Electronic
- Control lamp: Touch
- Control lamp: Operational
- Size cerane surface: W 320 x D 370 mm
- Overheating protection: Yes
- Timer: No
- Digital display: Yes

Code-No. 105996
GTIN 4015613715421

Induction warming plate IW3



- Power load: 0,3 kW | 230 V | 50-60 Hz
- Equipment connection: Pluggable
- Temperature range: 40 °C to 95 °C
- Control unit: Electronic
- Control unit: Touch
- Control lamp: -
- Size cerane surface: W 390 x D 390 mm
- Overheating protection: Yes
- Timer: No
- Digital display: Yes
- ON/OFF switch: Yes

Code-No. 105865
GTIN 4015613746838

Induction warming plate IW3-EBBF



- Warming station diameter: 195 mm
- Power load: 0,3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 40 °C to 95 °C
- Control lamp: -
- Size cerane surface: W 280 x D 280 mm
- Overheating protection: Yes
- Timer: No
- Digital display: Yes
- ON/OFF switch: Yes
- Material hob: Glass

Code-No. 105864
GTIN 4015613746821

Induction warming plate IW3-SW



- **Combinability:** 4 appliances can be switched in sequence in 1 power circuit
- **Control panel:** On the appliance
- **Power load:** 0,3 kW | 230 V | 50-60 Hz
- **Equipment connection:** Pluggable
- **Temperature range:** 40 °C to 95 °C
- **Control unit:** Electronic
Touch
- **Control lamp:** -
- **Size cerane surface:** W 390 x D 390 mm
- **Overheating protection:** Yes

Code-No. 105867
GTIN 4015613773117