



▶ Infinite possibilities

- ✓ The chafing dish can be used in combination with an external hob.
- ✓ Volume: 5.2 litres
- ✓ 1 GN 2/3 container, 65 mm deep



▶ For an induction or glass ceramic hob

- ✓ Possible heat control via the external built-in hob



▶ Soft-close mechanism

- ✓ Removable lid with window



▶ Lift-up device

- ✓ Easy removal of GN container



Induction or glass ceramic – a GN 2/3 chafing dish for flexible use on a built-in hob. The removable lid makes it easy to change the GN container in buffets, canteens and front-cooking areas.

- Depth GN container max.: 65 mm
- Content: 5,2 litre(s)
- Heating type: External, via level induction or glass ceramic installed hob
- Stackable: No
- Colour: Silver
- With handle(s): Yes
- GN-capable: Yes
- Functions: Keeping warm
- Properties: Heat control via external hob  
Lift-up device for GN containers
- Material: Stainless steel
- Lid properties: With window  
Soft-Close mechanism (hydraulic lid hinge)  
Detachable, with handle
- Gastronorm: 2/3 GN
- Material handle(s): Stainless steel  
Chrome-plated
- Important information: An external hob is required to use the device
- Material lid: Stainless steel  
Chrome-plated  
Glass
- Including: 1 GN 2/3 container, 65 mm deep, Stainless steel
- Size: W 400 x D 418 x H 195 mm
- Weight: 5.5 kg

### Induction warming plate IW10



- Power load: 1 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 50 °C to 100 °C
- Control unit: Toggle
- Control lamp: -
- Overheating protection: Yes
- Timer: No
- Digital display: Yes
- ON/OFF switch: No
- Can be installed: No
- Pot recognition: Yes

Code-No. 114366  
GTIN 4015613714806

### Induction warming plate IW10-EBBF



- Warming station diameter: 280 mm
- Power load: 1 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 50 °C to 100 °C
- Control unit: Electronic
- Control lamp: Touch
- Control lamp: Operational
- Size cerane surface: W 320 x D 370 mm
- Overheating protection: Yes
- Timer: No
- Digital display: Yes

Code-No. 105996  
GTIN 4015613715421

### Induction warming plate IW10-EB



- Power load: 1 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 40 °C to 100 °C
- Control unit: Electronic
- Control unit: Touch
- Control lamp: ON/OFF
- Size cerane surface: W 455 x D 310 mm
- Overheating protection: Yes
- Timer: No
- Digital display: Yes
- ON/OFF switch: Yes

Code-No. 114367  
GTIN 4015613715704

### Induction warming plate IW3-EBBF



- Warming station diameter: 195 mm
- Power load: 0,3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 40 °C to 95 °C
- Control lamp: -
- Size cerane surface: W 280 x D 280 mm
- Overheating protection: Yes
- Timer: No
- Digital display: Yes
- ON/OFF switch: Yes
- Material hob: Glass

Code-No. 105864  
GTIN 4015613746821

### Induction warming plate IW3



- Power load: 0,3 kW | 230 V | 50-60 Hz
- Equipment connection: Pluggable
- Temperature range: 40 °C to 95 °C
- Control unit: Electronic
- Control lamp: -
- Size cerane surface: W 390 x D 390 mm
- Overheating protection: Yes
- Timer: No
- Digital display: Yes
- ON/OFF switch: Yes

Code-No. 105865  
GTIN 4015613746838

### Induction warming plate IW3-SW



- Combinability: 4 appliances can be switched in sequence in 1 power circuit
- Control panel: On the appliance
- Power load: 0,3 kW | 230 V | 50-60 Hz
- Equipment connection: Pluggable
- Temperature range: 40 °C to 95 °C
- Control unit: Electronic
- Control lamp: -
- Size cerane surface: W 390 x D 390 mm
- Overheating protection: Yes

Code-No. 105867  
GTIN 4015613773117