




- Height adjustable: 2040 mm to 2115 mm
- Gastronorm: 2/1 GN
- Dimensions of intermediate shelves: W 530 x D 650 mm
- Material inside: Stainless steel
- Colour: Stainless steel
- Cooling: Circulating air
- Temperature range: -2 °C to 8 °C
- Temperature control: Thermostatic
- Thermostat: Yes
- Insulation: Polyurethane, 60 mm
- Advertising display: -
- Coolant: R600a / 0,098 kg
- Climate class: 4
- Ambient temperature: to 30 °C
- Drip water evaporation: Yes
- Energy efficiency class: C (EU No. 2015 / 1094)
- Energy consumption: 548 kWh / an
- GWP: 3
- Automatic defrosting function: Yes
- Number of intermediate shelves: 3
- Height-adjustable intermediate shelves: Yes
- With price strips: No
- Lockable: Yes
- Interior lighting: No
- Digital display: Yes
- Control unit: Knob
- Type of door: Leaf door(s)
- Number of doors: 1
- Door hinge side: Left
- Door hinge side can be changed: Yes
- Height-adjustable feet: Yes
- ON/OFF switch: Yes
- Control lamp: ON/OFF
- Properties: -
- Power load: 0,368 kW | 230 V | 50 Hz
- Material: CNS 18/10
- Important information: -
- Type of intermediate shelves: Grille
- Content: 461 litre(s)
- Size: W 655 x D 855 x H 2,050 mm
- Weight: 106.2 kg

# Refrigerator 700 GN211

## Add on Products

### Thermometer A250



- Important information: -
- Including: -
- Material: Stainless steel  
Plastic
- Colour: White  
Silver
- Design: Analogue
- With temperature sensor: No
- Temperature range: -40 °C to 25 °C
- Temperature measurement units: °C  
°F

Code-No. 292043  
GTIN 4015613664279

### Thermometer A300



- Control unit: -
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue
- With temperature sensor: No
- Designed for: Room temperature measurements  
Refrigerators / upright freezers

Code-No. 292048  
GTIN 4015613664262

### Thermometer A500



- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -30 °C to 50 °C
- Designed for: Room temperature measurements  
Refrigerators / upright freezers  
Temperature monitoring during transport and storage
- Properties: Temperature range also in Fahrenheit  
With suspension device

Code-No. 292049  
GTIN 4015613664286

### Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first  
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well  
Spray sparingly onto the surfaces to be cleaned  
  
Rub evenly over the entire surface  
Polish with a dry cloth


Code-No. 173031  
GTIN 4015613360195

#### 1 pair of rails

- Important information: -
- Size: W 565 x D 15 x H 25 mm
- Weight: 0.53 kg

Code-No. 700488  
GTIN 4015613685052

#### Grid 2/1GN



- Gastronorm: 2/1 GN
- Important information: -
- Size: W 530 x D 650 x H 21 mm
- Weight: 2 kg

Code-No. 700487  
GTIN 4015613587202