



▶ Content: 700 litres



▶ Energy efficiency class: A

▶ Number of intermediate shelves: 4

✓ Dimensions of intermediate shelf: W 530 x D 650 mm

✓ Gastronorm: 2/1 GN

✓ Height-adjustable intermediate shelves



Spacious and clever – The stylish stainless steel refrigerator has a volume of 700 litres in 2/1 GN format for maximum refrigeration space. A signal is sounded to indicate that the refrigeration chain will be interrupted when the refrigerator door is left open too long.

• Height adjustable:	2040 mm to 2090 mm	• Climate class:	4
• Gastronorm:	2/1 GN	• Properties:	LED lighting, separately switchable
• Power load:	0,215 kW   230 V   50 Hz		Signal is sound when the door is left open too long
• Height-adjustable feet:	Yes		Distance between the drawers: 75 mm
• Temperature range:	2 °C to 8 °C	• Insulation:	Pentane, 85 mm
• Control unit:	Electronic	• Energy consumption:	303 kWh / an
• Coolant:	R600a / 0,105 kg	• GWP:	3
• Control lamp:	-	• Energy efficiency class:	A (EU No. 2015 / 1094)
• Cooling:	Circulating air	• Door hinge side:	Right
• Digital display:	Yes	• Door hinge side can be changed:	Yes
• Interior lighting:	Yes	• Dimensions of intermediate shelves:	W 530 x D 650 mm
• Type of door:	Leaf door(s)	• Ambient temperature:	to 30 °C
• Height-adjustable intermediate shelves:	Yes	• Advertising display:	-
• Automatic defrosting function:	Yes	• With price strips:	No
• Drip water evaporation:	Yes	• Size:	W 705 x D 895 x H 2,090 mm
• ON/OFF switch:	No	• Weight:	146.4 kg
• Type of intermediate shelves:	Grille, plastic coated		
• Lockable:	Yes		
• Thermostat:	Yes		
• Colour:	Silver		
• Content:	700 litre(s)		
• Material inside:	CNS 18/10		
• Number of doors:	1		
• Number of intermediate shelves:	4		
• Material:	CNS 18/10		
• Important information:	-		
• Temperature control:	In 1 °C steps		

▶ Lockable

▶ Digital display



▶ LED lighting

✓ Can be switched separately




# Refrigerator 700 GN210

## Add on Products

### Thermometer A250


STAINLESS STEEL



- Important information: -
- Including: -
- Material: Stainless steel  
Plastic
- Colour: White  
Silver
- Design: Analogue
- With temperature sensor: No
- Temperature range: -40 °C to 25 °C
- Temperature measurement units: °C  
°F

Code-No. 292043  
GTIN 4015613664279


### Insert grate 700LGN210-OM



- Usage options: Upper drawer  
Middle drawers
- Load-bearing capacity max.: 60 kg
- Important information: -
- Material: Steel  
Plastic coated
- Size: W 530 x D 655 x H 45 mm
- Weight: 2.7 kg

Code-No. 700816  
GTIN 4015613729749

### Insert grate 700LGN210-U



- Usage options: Our drawer
- Load-bearing capacity max.: 60 kg
- Material: Steel  
Plastic coated
- Important information: -
- Size: W 530 x D 645 x H 75 mm
- Weight: 3.1 kg

Code-No. 700817  
GTIN 4015613729756

### Thermometer A500



- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -30 °C to 50 °C
- Designed for: Room temperature measurements  
Refrigerators / upright freezers  
Temperature monitoring during transport and storage
- Properties: Temperature range also in Fahrenheit  
With suspension device

Code-No. 292049  
GTIN 4015613664286

### Thermometer A300

STAINLESS  
STEEL



- Control unit: -
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue
- With temperature sensor: No
- Designed for: Room temperature measurements  
Refrigerators / upright freezers

Code-No. 292048  
GTIN 4015613664262