



▶ Content: 443 litres




▶ Climate class: 4

▶ 10 drawers

✓ 600 x 400 mm


✓ Spacing: 75 mm



▶ Lockable



▶ LED lighting



Make cakes, tarts, bread loaves, and rolls ahead of time and properly freeze and store them on the appropriate tray until you're ready to process them further or serve them up. This bakery-standard freezer provides plenty of cool storage space for bakeries, cake shops, cafés, and hotel kitchens.

- | | | | |
|-----------------------------------|-----------------------------|----------------------------|--------------------------------------------------------------|
| • Number of drawers: | 10 | • GWP: | 3 |
| • Format drawers: | 600 x 400 mm | • Material: | Stainless steel |
| • Type of drawers: | Longitudinal | • Important information: | - |
| • Distance between trays: | 75 mm | • Insulation: | Cyclopentane C5H10, 85 mm |
| • Power load: | 0,386 kW 230 V 50 Hz | • Type of door: | Leaf door(s)
Self-closing |
| • Height-adjustable feet: | No | • Properties: | 1 fan
Signal is sound when the door is left open too long |
| • Temperature range: | -18 °C to -22 °C | • Energy consumption: | 1431 kWh / an |
| • Temperature control: | Electronic
In 1 °C steps | • Energy efficiency class: | C (EU No. 2015 / 1094) |
| • Control unit: | Touch | • Content: | 443 litre(s) |
| • Door hinge side can be changed: | Yes | • Size: | W 705 x D 910 x H 2,085 mm |
| • Control lamp: | ON/OFF | • Weight: | 133.9 kg |
| • Door hinge side: | Right | | |
| • Climate class: | 4 | | |
| • Cooling: | Circulating air | | |
| • Coolant: | R290a / 0.132 kg | | |
| • Digital display: | Yes | | |
| • Interior lighting: | Yes | | |
| • Automatic defrosting function: | Yes | | |
| • Drip water evaporation: | Yes | | |
| • ON/OFF switch: | Yes | | |
| • Lockable: | Yes | | |
| • Ambient temperature: | to 30 °C | | |
| • Thermostat: | Yes | | |
| • Colour: | Silver | | |
| • Including: | - | | |
| • Material inside: | Stainless steel | | |
| • Number of doors: | 1 | | |

Stainl.steel polish.spray 500ml can




- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well
Spray sparingly onto the surfaces to be cleaned

Rub evenly over the entire surface
Polish with a dry cloth

Code-No. 173031
GTIN 4015613360195

Thermometer A250



- Important information: -
- Including: -
- Material: Stainless steel
Plastic
- Colour: White
Silver
- Design: Analogue
- With temperature sensor: No
- Temperature range: -40 °C to 25 °C
- Temperature measurement units: °C
°F

Code-No. 292043
GTIN 4015613664279

Thermometer A300



- Control unit: -
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue
- With temperature sensor: No
- Designed for: Room temperature measurements
Refrigerators / upright freezers

Code-No. 292048
GTIN 4015613664262

Perforated tray 600x400-SI



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 600 x D 400 x H 15 mm
- Weight: 0.89 kg

Code-No. 100416
GTIN 4015613734712

Baking tray 600x400-AL



- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 600 x D 400 x H 20 mm
- Weight: 1.1 kg

Code-No. 100412
GTIN 4015613734699

Perforated tray 600x400-AL



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 600 x D 400 x H 20 mm
- Weight: 0.88 kg

Code-No. 100413
GTIN 4015613734705