



- ▶ Content: 9 litres
- ✓ Output max.: 60 - 72 cups
- ✓ Brewing time: 50 minutes for 9 litres



- ▶ Stainless steel filter

- ▶ Decalcification signal
- ▶ Warm-holding function



- ▶ Stainless steel heating system
- ▶ 2 separate heating systems for brewing and warm-keeping function



- ▶ Including: cleaning scraper



## More pleasure and flexibility

Thanks to the optimised stainless steel filter, you can brew your coffee with or without filter paper.

- |                             |  |           |                          |
|-----------------------------|--|-----------|--------------------------|
| • Content:                  | 9 litre(s)   | • Size:   | W 310 x D 320 x H 540 mm |
| • Warm-keeping function:    | Yes  | • Weight: | 3.8 kg                   |
| • Brewing time:             | 50 minutes for 9 litres  |           |                          |
| • Minimum brewing quantity: | 4.5 litres (30 cups)   |           |                          |
| • Decalcification signal:   | Yes  |           |                          |
| • Filling level display:    | Yes  |           |                          |
| • Output max.:              | 60 - 72 cups   |           |                          |
| • Material filter:          | Stainless steel  |           |                          |
| • Material heating system:  | Stainless steel  |           |                          |
| • Power load:               | 1,2 kW   230 V   50/60 Hz  |           |                          |
| • ON/OFF switch:            | Yes  |           |                          |
| • Design:                   | Round filter   |           |                          |
| • Material:                 | Stainless steel  |           |                          |
|                             | Plastic  |           |                          |
| • Important information:    | -  |           |                          |
| • Colour:                   | Silver   |           |                          |
|                             | Black  |           |                          |
| • Including:                | Cleaning scraper   |           |                          |
| • Output heating element:   | 1,2 kW   |           |                          |
| • Properties:               | 2 separate heating systems for brewing and warm-keeping function |           |                          |
|                             | Coffee machine can also be used without filter paper             |           |                          |
|                             | Stainless steel heating recess                                   |           |                          |
| • Control lamp:             | ON/OFF   |           |                          |
|                             | Descaling  |           |                          |
|                             | Keeping warm   |           |                          |

# Coffee machine Bartscher PRO II 60

## Add on Products

### Round filter paper 195mm, 250pcs



- Important information: -
- Diameter: 195 mm
- Order quantity unit: 1 box (250 round filters)
- Designed for: Coffee maker Regina Plus 40  
Coffee machine Bartscher PRO II 40  
Coffee machine Bartscher PRO II 60
- Size: W 195 x D 195 x H 1 mm
- Weight: 0.3 kg

Code-No.  
GTIN 4015613427980

### Round filter paper 195mm, 1000pcs



- Order quantity unit: 1 box (1,000 round filters)
- Important information: -
- Diameter: 195 mm
- Designed for: Coffee maker Regina Plus 40  
Coffee machine Bartscher PRO II 40  
Coffee machine Bartscher PRO II 60
- Size: W 195 x D 195 x H 1 mm
- Weight: 1.4 kg

Code-No. A190009  
GTIN 4015613372983

### Descaler B15-30



- Order quantity unit: 1 box (30 bags à 15 g)
- Designed for: Coffee machines
- Content: 30 x 15 g
- Ph level: 1,8 - 2,4
- Chlorine-free: Yes
- Phosphate-free: Yes
- Properties: Ideal for use in coffee machines and kitchen appliances  
Reliable and fast removal of stubborn limescale and impurities bound in it  
Based on mild citric and lactic acid

Code-No. 190065  
GTIN 4015613541716

### Milk frother induction MSI400



- Power load: 0,6 kW | 230 V | 50/60 Hz
- Temperature range: 0 °C to 70 °C
- Automatic turn-off: Yes
- ON switch: Yes
- Mixing bowl: Detachable  
Stainless steel with plastic lid
- Design: Induction
- Material: Stainless steel
- Important information: -
- Properties: 4 non-slip feet made of silicone  
Beaker, lid, mixing disks, dishwasher-suitable

Code-No. 190129  
GTIN 4015613613413

#### Milk dispenser adapter PRO II 40-60

STAINLESS  
STEEL

4 L



- **Designed for:** Indirect heating/keeping warm of milk  
Coffee machine Bartscher PRO II 40  
Coffee machine Bartscher PRO II 60
- **Content:** 4 litre(s)
- **Glasses / cup height max.:** 200 mm
- **Filling level display:** Yes
- **ON/OFF switch:** No
- **Properties:** The coffee machine lid matches the milk dispenser
- **Important information:** -
- **Material:** Stainless steel

Code-No. A190169  
GTIN 4015613731261

#### Milk frother MS600



STAINLESS  
STEEL



- **Power load:** 0,5 kW | 230 V | 50/60 Hz
- **Temperature range:** 0 °C to 70 °C
- **Control unit:** Electronic  
Knob
- **Content:** 0,6 litre(s)
- **Control lamp:** In operation
- **Colour:** Silver  
Black
- **Automatic turn-off:** Yes
- **Functions:** Foaming/heating at 70 °C
- **ON switch:** Yes

Code-No. 190211  
GTIN 4015613758077