# KERN CCS1T-1U



Counting system to count the smallest parts in the largest quantities, counting resolution up to 999,999 points



Measuring system	
Adjustment options:	External calibration
Linearity:	500 mg
Recommended adjusting weight:	1500 kg (M1)
Repeatability:	200 mg
Stabilisation time under laboratory conditions:	2 s
Weighing system:	Strain gauge
Weighing units:	kg lb

Display digit height (large):	2 cm
Counting	
Counting resolution:	15000000
Mininum piece weight at piece	100 mg

counting (Laboratory:

Mininum piece weight at piece 1 g
counting (Normal):

Reference weight: yes

Display

Functions		
Conversion function:	yes	
Counting function:	yes	
Function to save totals:	yes	
PRE-TARE function:	yes	
Weighing with tolerance range:	yes	

Environmental conditions	
Maximum humidity:	80 %
Maximum operating temperature:	40 °C
Minimum ambient temperature:	0°C
Minimum humidity:	0 %

Power supply	
Charging time:	12 h
Input voltage:	220 V - 240 V AC 50 Hz
Mains adapter:	Mains adapter external
Mains adapter/adapter included:	EURO CH UK US
Operating time (Backlight off):	60 h
Operating time (Backlight on):	70 h
Rechargeable battery:	Rchrg. battery optional

Q	er	W	0	۵.	
U	СI	V.	U	9	

Adjustment at the location of installation: abhängig von

Auflösung/Max | depends on resolution and capacity

DAkkS Certificate: 962-130-128

## Category

Brand: KERN

Product Group: Counting system

## Packaging & shipping

Delivery: 96 h

Dimensions packaging (WxDxH): 1355 x 510 x 450 mm

Gross weight: 50 kg
Net weight: 46 kg

Shipping method: Freight forwarder

## Construction

Cable length: 1,500 m

Cable length of display device: 5 m

Casing material: Plastic

Dimensions of weighing plate (WxDxH):

Level indicator: yes

Material weighing plate: Metal lacquered

Revolving screw feet: yes

Weighing surface (WxD): 840 x 1190 mm

# Piktogramme

#### STANDARD



#### OPTION

