KERN CXB15K1



Entry level model into professional counting, also with EC type approval [M], counting resolution of 30,000 points



Measuring system			
Adjustment options:	External calibration		
Linearity:	2 g		
Readability [d]:	1 g		
Recommended adjusting weight:	10 kg (M1); 5 kg (M1)		
Repeatability:	1 g		
Resolution:	15000		
Stabilisation time under laboratory conditions:	2 s		
Warm up time:	30 min		
Weighing capacity [Max]:	15 kg		
Weighing system:	Strain gauge		
Weighing units:	kg g		
Display			
Display digit height (large):	1,800 cm		
Counting			
Counting resolution:	30000		
Mininum piece weight at piece	500 mg		

counting (Laboratory:

counting (Normal): Reference weight:

Counting function:

Maximum humidity:

Function to save totals:

Environmental conditions

Maximum operating temperature:

Functions

Mininum piece weight at piece

Power supply	
Charging time:	8 h
Input voltage:	220 V - 240 V AC 50 Hz
Mains adapter/adapter included:	EURO
Operating time (Backlight off):	200 h
Operating time (Backlight on):	60 h
Service	
Adjustment at the location of installatio	n:961-248
DAkkS Certificate:	963-128
Category	
Brand:	KERN
Category:	Balances
Product Group:	Counting scale
Packaging & shipping	
Delivery:	24 h
Dimensions packaging (WxDxH):	380 x 400 x 180 mm
Gross weight:	4,400 kg
Net weight:	4 kg
Shipping method:	Parcel service
UN number:	2800
Construction	
Casing material:	Plastic
Dimensions housing (WxDxH):	300 x 330 x 110 mm
Level indicator:	yes
Material weighing plate:	stainless steel
Revolving screw feet:	yes
Weighing surface (WxD):	300 x 225 mm
Piktogramme	
STANDARD	
CAL EXT PCS SUM ACCU 230 V	DMS 1 DAY

\frown		-	i	\sim	N	
\cup	Γ	1	l	U	Ľ	V

),	A	1	d	k	S

+3 DAYS

FACTORY



Minimum ambient temperature:-10 °CMinimum humidity:15 %

5 g

yes

yes

yes

85 % 40 °C

KERN & SOHN GmbH · Ziegelei 1 · 72336 Balingen · Germany · Tel. +49–(0)7433 - 99 33-0 · www.kern-sohn.com